City of Springfield

2021 Maintenance Hole Rehabilitation

Capital Improvement Project

#P21168

The information provided is an abridged version of the Invitation to Bid and is provided for review and informational purposes only. To submit a bid for consideration, a complete set of bid documents is required. The full set of Bid Documents is available for viewing and purchase for a non-refundable fee of $10.00 from The City of Springfield, Development and Public Works office, 225 Fifth Street, Springfield, OR 97477.

Bid documents may be purchased between the hours of 8:00 a.m. to12:00 p.m. and 1:00 p.m. to 4:00 p.m. Tuesday through Friday. Payments made in advance must be made by credit card, and payments made at the time of pick up must be made by check. Bid documents are available online at Invitations to Bid - City of Springfield Oregon (springfield-or.gov).

Bid documents on file at plan centers are incomplete and cannot be used to submit bids.

City of Springfield
Community Development Division

SPECIFICATIONS

for

P21168

2021 Manhole Rehabilitation

NON-MANDATORY PRE-BID MEETING

Date: **Monday, November 22nd, 2021**

Time: **10:00 a.m.**

Location: Microsoft Teams meeting
Join on your computer or mobile app
Click here to join the meeting
Or call in (audio only)
+1 689-206-0340,,172193915# United States, Orlando
Phone Conference ID: 172 193 915#
Find a local number | Reset PIN
Learn More | Meeting options

BID OPENING

Date: **Wednesday, December 1st, 2021**

Time: **2:00 p.m.**

Location: Microsoft Teams meeting
Join on your computer or mobile app
Click here to join the meeting
Or call in (audio only)
+1 689-206-0340,,172193915# United States, Orlando
Phone Conference ID: 172 193 915#
Find a local number | Reset PIN
Learn More | Meeting options

The deadline for submission of questions regarding this Invitation to Bid prior to bid opening is Wednesday, November 24th, 2021 as specified in the Instruction to Bidders.

For your Bid to be considered responsive by the City of Springfield you must include all documents included in the Invitation to Bid with your Bid. Additionally, any addendums or revisions must be acknowledged and submitted with your Bid. *The only exception to this is any plans or drawings, which are not required to be submitted as a part of your Bid.*

A complete description of submittal requirements can be found in the Bid Submittal document included in the bid packet.

Please Note: All information required must be submitted as directed.

CITY OF SPRINGFIELD, OREGON
Invitation to Bidders
Public Works Improvement Project

Project No. P21168 **Title: 2021 Maintenance Hole Rehabilitation**

Description: The Maintenance Hole Rehabilitation project consists of Ten (10) maintenance access holes at various locations along South A/Main St between 2nd and 18th St are proposed to have frame adjustment per Springfield standard 4-1A. Construction activity involves saw-cutting and excavating existing (deteriorated) ACP surrounding the frame, replacing frame and lid, and replacing surround with reinforced, early-strength concrete to match existing road grade creating a smooth traveled surface. The other main component of this project will be temporary traffic control around the various work zones. South A/Main street is heavily trafficked with multiple bus stops adjacent to proposed work zones and the LTD Springfield Station. Using an early strength concrete mix design will benefit temporary traffic control as it is cured and traffic-ready within a few hours after placement. An ODOT miscellaneous permit has been approved for this project, as each work zone is within ODOT right-of-way. Per this permit, lanes shall be opened by 2 p.m. to avoid commuter traffic.

Work will also include construction activities necessary to retrieve a video inspection camera that is stuck in a sanitary sewer service lateral. This additional work shall be coordinated with City of Springfield Operations Department. Activities include saw cutting, excavation to the pipe large enough to allow for shoring if needed, pipe repair, and asphalt restoration to ODOT requirements.

A **NON-MANDATORY** Pre-bid meeting will be held on **Monday, November 22nd, 2021, at 10:00 a.m**. The meeting will be held through an online Teams meeting; instructions for attending this meeting are below.

You may join the meeting from your computer, tablet, or smartphone by clicking the link below. You may also dial into the meeting at the phone number below.

Microsoft Teams meeting

Join on your computer or mobile app
Click here to join the meeting
Or call in (audio only)
+1 689-206-0340,172193915# United States, Orlando
Phone Conference ID: 172 193 915#
Find a local number | Reset PIN
Learn More | Meeting options

All questions should be addressed to bidsubmittals@springfield-or.gov or **541-726-3628**. The deadline for submission of questions regarding this Invitation to Bid is **November 24th** at **10:00 a.m.** Contact with any other City officials may be grounds for disqualification of the bid.

You may join the meeting from your computer, tablet, or smartphone by clicking the link below. You may also dial into the meeting at the phone number below.

Microsoft Teams meeting

Join on your computer or mobile app
Click here to join the meeting
Or call in (audio only)
+1 689-206-0340,172193915# United States, Orlando
Phone Conference ID: 172 193 915#
Find a local number | Reset PIN
Learn More | Meeting options

Sealed bids will be received at Springfield City Hall, Development and Public Works office, 225 Fifth Street, Springfield, OR 97477, until, but no later than, **2:00 p.m.** Local Time, **Wednesday, December 1st, 2021**. A Teams meeting will be held immediate thereafter; please use the link below to attend.

You may join the meeting from your computer, tablet, or smartphone by clicking the link below. You may also dial into the meeting at the phone number below.

Microsoft Teams meeting

Join on your computer or mobile app

Click here to join the meeting

Or call in (audio only)

+1 689-206-0340,172193915# United States, Orlando

Phone Conference ID: 172 193 915#

Find a local number | Reset PIN

Learn More | Meeting options

Bid documents are available from Development and Public Works, City of Springfield, 225 Fifth Street, Springfield, OR 97477, for a non-refundable fee of $**10.00** and are available for viewing at this location. Abridged Bid documents are available online at Current Construction Projects - City of Springfield Oregon (springfield-or.gov) but are incomplete, as well as those posted with plan centers and cannot be used to submit bid packets.

Any bidder requiring special assistance or auxiliary aids during the bidding and award process should contact Amanda Clinton at bidsubmittals@springfield-or.gov at least two (2) business days prior to the scheduled program, activity, or meeting for hearing assistance or a sign language interpreter and at least five (5) business days prior to the event for all other meeting accommodations. Assistive listening systems are available for the hearing impaired in the Municipal Courtrooms and City Council Chambers. TTY users dial Oregon Relay Services at 711. Requests for documents in alternate formats should be submitted at least ten (10) calendar days prior to the date the materials are needed to allow time for the City to respond to the request. At the discretion of the City, submission deadlines may be extended to accommodate a request for alternate formats.

This project is subject to the prevailing state rates of wage under ORS 279C.800 to 279C.870. In accordance with ORS 279C.365, the City will not consider a bid unless it contains a statement by the bidder that they will comply with ORS 279C.838 through ORS 279C.870. Each submission must include a statement as to whether the bidder is a resident bidder, as defined in ORS 279A.120.

All Contractors performing work on this project shall have a current, valid certificate of licensure issued by the Construction Contractor's Board in accordance with ORS 701 and, if performing work described in ORS 671.520, a current, valid certificate of licensure from the State Landscape Contractor's Board in accordance with ORS 671.560, as applicable, in place at the time the quote is presented.

The City of Springfield may reject any or all bids, not in compliance with all prescribed public bidding procedures and requirements, including the requirement to demonstrate the bidder's responsibility under ORS 279C.375, or waive minor irregularities not affecting substantial rights and may reject for a good cause any or all bids upon a finding of the City of Springfield it is in the public interest to do so and accept such bids that in the opinion of the Springfield City Council are in the best interest of the City.

The City of Springfield encourages contractors, sub-contractors, and vendors who are minority, woman-owned, and emerging small businesses to participate in City projects.

Published:
Daily Journal of Commerce: Nov 17th, 2021
Register-Guard Publishing: Nov 19th, 2021
Oregon Buys: Nov 17th, 2021
Solicitation Number – S2963

TABLE OF CONTENTS

State and Local Funding

Book 1: Invitation to Bid Documents

1. Invitation to Bidders
2. Bid Submittal, Terms and Declarations
3. Instruction to Bidders
4. Contract (Sample)
5. Prevailing Wage Rate Information
6. Special Provisions – Section A; General Requirements
7. Special Provisions – Section B; Scope of Work
8. First Tier Subcontractor Disclosure Form
9. Financial Responsibility Form
10. Minority, Women and Emerging Small Business/Disadvantaged Business Enterprise Form
11. Bid Bond (Sample)
12. Performance Bond (Sample)
13. Payment Bond (Sample)

Book 2: Project Plan Set and Standard Drawings– Separate Book

1. Construction Plans and Drawings

City of Springfield
225 Fifth Street
Springfield, OR 97477

Bid Submittal

Project No. P21168
Project Title: 2021 Maintenance Hole Rehabilitation

Bid Items:

Item No.	Description	Payment Specification Number	Approx. Quantity	Per	Unit Price	Total Price Extension
Construction Bid Items						
1	Mobilization	00210.10	1	LS		
2	Temporary Work Zone Traffic Control, Complete	00221.01(a)	1	LS		
3	Erosion Control	00280.90(a)	1	LS		
4	Minor Adjustment of Manholes	00490.90(a)	10	EA		
5	Minor Repair of Sewer Lateral	00445.91(m)	1	LS		
					TOTAL	
					Project Bid Item Total:	

Terms, Declarations, and Bid Submittal

Bidder's Understanding
Bidders shall determine for themselves all the conditions and circumstances affecting the projected cost of the proposed work by personal examination of the site and contract documents, by such other means, they deem to be necessary. It is understood and agreed that if the City has obtained information from data at hand regarding underground or other conditions or obstructions depicted in the Contract documents, there is no expressed or implied agreement that such conditions are fully or correctly shown. The Bidder must consider the possibility that conditions affecting the cost or quantity of work may differ from those indicated.

The Bidder is familiar with and is satisfied as to all federal, state, and local laws and regulations that may affect the cost, progress, and performance of the work.

Bid
The undersigned Bidder, having examined the Specifications and Contractual Documents and having satisfied themselves as to all conditions to be encountered, hereby proposes to furnish all labor, material, and equipment and perform all work necessary to complete Project No P21168 in accordance with this Bid, the Contract Plans, Section 100 of the City of Springfield Standard Construction Specifications, 1994 Edition and all subsequent modifications, Parts 00200 through 03000 of the 2021 Oregon Standard Specifications for Construction, the Special Provisions, and all other Contractual Documents at the prices and on the terms herein contained.

The unit price Bids are submitted with the understanding that the quantities stated are approximate and are given only as of the basis of calculation for comparison of Bids and determining that the unit prices are balanced and that final payment for all unit price items will be based on actual quantities.

It is understood that in the instance of a discrepancy between the unit price and the extension (total price extension), the unit price shall govern. The extension shall be determined by multiplying the unit price by the number of units (approximate quantity).

Bid Guarantee
As required by O.R.S. 279C.365(5), each Bid shall be accompanied by a Bid Bond, cash, or a certified or cashier's check written upon a bank in good standing and a form acceptable to the City, payable to the Finance Director of the City of Springfield, Oregon, in an amount equal to at least 10 percent of the total amount of the Bid. Bid Bonds shall be issued by a surety company registered to issue bonds in the State of Oregon and to utilize a bond form acceptable to the City. The City will accept A.I.A. Document A310-2010. The Bid Bond may not be altered.

Such Bid Guarantee shall be forfeited and become the property of the City in case the Bidder shall fail or neglect to furnish a satisfactory Performance and/or Payment Bond issued by a viable bond company acceptable to the City as required by O.R.S. 279C.380 and to execute the contract within ten (10) days (Saturday, Sunday, and holidays excepted) after receiving a contract from the City for execution. For information regarding Performance and Payment Bond requirements, see City of Springfield Contract document, Section 5. City Bonding.

Bid Acceptance Period
This Bid will remain subject to acceptance for 60 days after the bid opening or for a longer time period that the Bidder may agree to in writing upon request of the City.

Contract Award
Bids will be accepted and awarded in accordance with Oregon Public Contracting Law and Section 103.01 of the City's most recent version of the Standard Construction Specifications.

Prior to awarding the contract, the City may, at its sole discretion, require Contractors and/or Subcontractors to demonstrate to the City's satisfaction that they have a complete and clear understanding of all requirements of the Prevailing Wage Rate Laws contained in O.R.S. 279C.800 through 279C.870 and possess the expertise necessary for fulfilling their obligations pertaining to these requirements throughout the Contract administration. In determining competency, the City may consider Certified Payroll Reports submitted by the Contractor and/or Subcontractor for projects previously performed for the City, copies of Certified Payroll Reports submitted to other public entities, references from other public entities attesting to the Contractor's expertise, or an interview with the Contractor regarding their personnel resources and knowledge or their ability to obtain the resources and expertise necessary to meet all contractual responsibilities in accordance with O.R.S. 279C.375.

Time is of the Essence
Time is of the essence in the Contractor's performance of the contract. Delays in the Contractor's work performance may inconvenience the public, interfere with business and commerce, and increase costs to the City. It is essential and in the public interest that the Contractor prosecutes the work vigorously to Contract completion. The City does not waive any rights under the contract by permitting the Contractor to continue to perform the contract, or any part of it, after the Contract Time of Completion shown below, or as adjusted by Contract Change Order, has expired.

Liquidated Damages
The City of Springfield and the Contractor agree that; (a) the amounts so fixed are reasonable forecasts of just compensation for the harm that is caused by the breach; (b) the harm that is caused by the breach is incapable of or very difficult of accurate estimation; and, (c) the amount so fixed is not fixed as a penalty to coerce performance of the contract but is instead intended to be a genuine pre-estimation of injury to the City of Springfield in lieu of performance within the contract time by the Contractor.

a. Delay
It is agreed by the City of Springfield and by the Contractor that the need exists for a damage provision in the event the Contractor fails to complete the work within the Contract time specified, or any extension thereof, by the City of Springfield. The City of Springfield and the Contractor further agree that the Contractor shall be liable to the City of Springfield for fixed, agreed, and liquidated damages for each and every calendar day of delay of $500.00 per day in accordance with Subsection 108.07 of the Standard Construction Specifications.

b. Failure to Report Spills

The Contractor also agrees to liquidated damages in the amount of $500.00 per incident for failure to report sewage spills plus an amount sufficient to reimburse the City for any civil and administrative penalties paid by the City as a result of the Contractor's failure to report. Failure to report sewage spills may subject the City to (1) civil penalties of up to $32,500.00 per day of violation pursuant to Section 309(d) of the Clean Water Act, 33 U.S.C. § 1319(d); (2) administrative penalties of up to $11,000.00 per day for each violation, pursuant to Section 309(g) of the Clean Water Act, 33 U.S.C. § 1319(g); or (3) civil action in federal court for injunctive relief pursuant to Section 309(b) of the Clean Water Act, 33 U.S.C. § 1319(b).

Contract Time of Completion

The Contractor shall not begin work under this Bid until a written Notice to Proceed has been received by the Contractor, and a pre-construction meeting has been held. The Contractor shall complete all work under this Bid within 30 cumulative days from the date of the actual commencement of work or the date occurring ten days after the date of the Notice to Proceed is issued, whichever occurs first, and the work must be completed no later than by April 30th, 2022.

The Contractor shall apply for any extensions of time as specified in Subsection 108.06 of the Standard Construction Specifications.

Certifications

The undersigned hereby certifies that:

1.) If awarded the contract, they shall fully comply with all provisions regarding the prevailing wage rates as required by O.R.S. 279C.800 to 279C.870 and/or 40 U.S.C. 2762 as applicable.

2.) The Contractor, Subcontractor, suppliers of materials or services, and others engaged by the Contractors, shall comply at all times with and observe all such laws, ordinances, regulations, orders, and decrees; and shall hold harmless and indemnify the City of Springfield and its representatives against any claim or liability arising from or based on the violation of any such law, ordinance, regulation, order, or decree.

3.) The Contractor, Subcontractor, or other person doing, or contracting to do, or contracting for the whole or any part of the work on the contract shall comply with all applicable requirements of Federal and State civil rights and rehabilitation statutes, rules, and regulations.

4.) In conformance with O.A.R. 137-049-0440(3) and O.R.S. 279A.110(4), the Contractor has not, and will not, discriminate against a Subcontractor in the awarding of a subcontract because the Subcontractor is a minority, women or emerging small business enterprise certified under ORS 200.055 or a business enterprise that is owned or controlled by or that employs a disabled veteran, as defined in ORS 408.225.

5.) In accordance with O.R.S. 279C.505, the Contractor will;

   a.) Make payment promptly, as due, to all persons supplying to the Contractor labor or material for the performance of the work provided for in the contract.

   b.) Promptly pay all contributions or amounts due to the State Industrial Accident Fund, or private carrier of accident insurance, from such Contractor or Subcontractor incurred in the performance of the contract. If a private carrier is used, the Contractor shall notify the Engineer as to the carrier's name and address before the commencement of work.

   c.) Not permit any lien or claim to be filed or prosecuted against the state or a county, school district, municipality, municipal corporation, or subdivision thereof, on account of any labor or material furnished.

   d.) Pay to the Department of Revenue all sums withheld from employees under ORS 316.167.

e.) Have an employee drug-testing program in place at the time of signing the contract and will maintain such drug-testing program in place over the life of the contract. Upon request, the Contractor shall furnish a copy of the employee drug testing program to the City.

6.) In accordance with O.R.S. 279C.510, If demolition is involved, the Contractor shall salvage or recycle construction and demolition debris, if feasible and cost-effective, as required by O.R.S. 279C.510(1). If lawn or landscaping maintenance is involved, the Contractor shall compost or mulch yard waste in an approved site, if feasible and cost-effective, as required by O.R.S. 279C.510(2).

7.) In accordance with O.R.S. 279C.520, no person will be employed by the Contractor or Subcontractor for more than 10 hours in any one day, or 40 hours in any one week except in cases of necessity, emergency, or where the public policy requires it, and in such cases, the person so employed shall be paid at least time and one-half the regular rate of pay for all times worked in excess of eight hours a day or 40 hours in any one week when the work-week is five consecutive days, Monday through Friday; or in excess of 10 hours a day or 40 hours in any one week when the work-week is four consecutive days, Monday through Friday; and for all work performed on a Saturday, Sunday and any legal holiday specified in O.R.S. 279C.540.

8.) In compliance with O.R.S. 279C.525, the Contractor has received and reviewed Federal, State, and local agencies that may have enacted ordinances, rules, or regulations dealing with the prevention of environmental pollution and the preservation of natural resources that may affect the performance of this contract as identified under Section 13 of the Contract. Accordingly, if the Contractor is delayed or must undertake additional work because of ordinances, rules, or regulations relating to the prevention of environmental pollution and the protection of natural resources subsequent to the date of submission or the successful quote, the City may:

a.) Terminate the contract,

b.) Complete the work itself,

c.) Use non-owner forces already under contract with the City of Springfield,

d.) Solicit bids for a new contractor to provide the necessary services under competitive bid requirements 279C,

e.) Issue the Contractor a change order setting forth additional work that must be undertaken.

9.) In accordance with O.R.S. 279C.530, the Contractor will;

a.) Promptly, as due, make payments to any person, co-partnership, association, or corporation, furnishing medical, surgical, and hospital care or other needed care and attention, incidental to sickness or injury, to the employees of such Contractor, of all sums which the Contractor agrees to pay for such services and all monies and sums which the Contractor:

1. May or shall have deducted from the wages of his employees for such services pursuant to the terms of Oregon Revised Statutes and any contract entered in pursuant thereto; or

2. Collected or deducted from the wages of his employees pursuant to any law, contract, or agreement for the purpose of providing or paying for such service; and

3. All employers working under the contract are either employers that will comply with ORS 656.017 or employers that are exempt under ORS 656.126. The Contractor shall ensure that each of its Subcontractors complies with these requirements.

10.) No Contractor, Subcontractor or any firm, corporation, partnership, or association in which the Contractor or Subcontractor has a financial interest who appears on the *List of Contractors Ineligible to Receive Public Works Contracts*, as established by the Bureau of Labor and Industries, will perform work under this contract, as specified in O.R.S. 279C.860.

11.) No Contractor, Subcontractor or any firm, corporation, partnership, or association in which the Contractor or Subcontractor has a financial interest who appears on the Construction Contractor's

Board *Not Qualified to Hold Public Contracts* list, will perform work under this contract, as specified in ORS 701.227(4).

12.) The Contractor performing work on this project shall have a current, valid certificate of licensure issued by the Construction Contractor's Board in accordance with ORS 701 and if performing work described in ORS 671.520, a current, valid certificate of licensure from the State Landscape Contractor's Board in accordance with ORS 671.560 as applicable in place at the time the quote is presented.

13.) Prior to performing any work under the contract, all Subcontractors shall have a current, valid certificate of licensure issued by the Construction Contractor's Board in accordance with ORS 701 and if performing work described in ORS 671.520, a current, valid certificate of licensure from the State Landscape Contractor's Board in accordance with ORS 671.520 as applicable.

14.) In compliance with O.R.S. 279C.836, the Contractor shall confirm that all Subcontractors have a valid public works bond on file with the Construction Contractors Board prior to allowing them to perform any work under the contract.

15.) If the Contract specifies that the project includes Asbestos Abatement, the Contractor and all Subcontractors performing work on the project shall be licensed in accordance with O.R.S. 467A.720 before performing any work on the project and certification of compliance shall be presented to the City upon request.

16.) The Contractor shall function as an independent contractor for the purposes of this contract and shall not be considered an employee of the City of Springfield for any purpose. The Contractor shall assume sole responsibility for any debts or liabilities incurred by the Contractor in fulfilling the terms of this contract and shall be solely responsible for the payment of all federal, state, and local taxes that may accrue because of this contract.

17.) The Contractor and all Subcontractors shall comply with all applicable provisions of the Americans With Disabilities Act of 1990, 42 U.S.C. Section 12101 et seq. and Section 504 of the Rehabilitation Act of 1973.

Bid Addenda

All Addenda issued are considered part of the Invitation to Bid specifications and, as such, are as incorporated into the contract as specified in Section 104.02 of the Standard Construction Specifications.

By signing below, I acknowledge the receipt of the following Addenda documents and certify that the specifications contained in each have been considered and incorporated into the Bid as presented. All Addenda must be included with the Bid submitted.

Addenda Number	Addenda Date

Declarations

As required by ORS 305.385(6), under penalty of perjury, by signing below, the Contractor represents that, to the best of their knowledge, neither they nor any applicable Subcontractors performing work under the contract are in violation of any tax laws as described in ORS 305.380(4) and have complied with the tax laws of this state or a political subdivision thereof including, but not limited to, ORS 305.620 and O.R.S. Chapters 316, 317, and 318. The Contractor shall also covenant to continue to comply with the tax laws of this state or a political subdivision thereof during the term of the contract, and that Contractor's failure to comply with such laws prior to execution of the contract or during the term thereof is a default for which the City may terminate the contract and seek damages and other relief available under the terms of the contract or under applicable law.

The undersigned Bidder declares that the only persons or parties interested in the Bid are those named herein, that this Bid is, in all respects, fair and without fraud, that it is made without collusion with any official of the City, and that the Bid is made without any connection or collusion with any person submitting another Bid on this project.

I have read, fully understand, and agree that Bidder I, and all Subcontractors, will comply with all of the terms and conditions of the contract for which this Bid is presented. By signing below, I attest that I am an officer or a duly authorized representative of the business listed below. I possess the legal authority to submit this Bid for consideration.

If the Bid is submitted by a joint venture and is in the name of the joint venture, by signing below, I certify that all parties have examined this Bid, including all requirements and the Contract terms and conditions and, if successful, the joint venture shall execute a contract which incorporates the stated requirements, terms, and conditions.

Bidder's Signature _____

Bidder's Name *(Please Print)* _____

Title _____

Business Name _____

Business Address _____

City _____ State _____ Zip _____

Phone Number _____ Cell Phone _____

Date _____ E-mail Address _____

CITY OF SPRINGFIELD CONTRACT

State and Local Funding Sources

Project No. P21168

Project Title: Maintenance Hole Rehabilitation

Description: Ten (10) maintenance access holes at various locations along South A/Main St between 2nd and 18th St are proposed to have frame adjustment per Springfield standard 4-1A. Construction activity involves saw-cutting and excavating existing (deteriorated) A.C.P. surrounding the frame, replace frame and lid, and replace surround with reinforced, early-strength concrete to match existing road grade creating a smooth traveled surface. The other main component of this project will be temporary traffic control around the various work zones. South A/Main street is heavily trafficked with multiple bus stops adjacent to proposed work zones and L.T.D. Springfield Station. Using an early strength concrete mix design will benefit temporary traffic control as it is cured and traffic-ready within a few hours after placement. An ODOT miscellaneous permit has been approved for this project, as each work zone is within ODOT right-of-way. Per this permit, lanes shall be opened by 2 pm to avoid commuter traffic.

THIS CONTRACT, made and entered into this _____ day of _____, 2021, between the City of Springfield, under and by virtue of the Charter, Laws, and Ordinances of the said City of Springfield, and the laws of the State of Oregon, and _____ hereinafter called the Contractor.

WITNESSETH:

That in consideration of the payments, covenants and contracts hereinafter mentioned, attached and made a part of this contract, to be made and performed by the parties hereto, the parties hereto covenant and agree as follows:

1. GENERAL REQUIREMENTS

This contract, signed by both parties, supersedes all prior and contemporaneous oral or written communications between the parties, their agents and representatives. This contract, as signed by both parties, shall be composed of each and every one of the following listed parts and all approved revisions thereto; and shall be interpreted so as to give the effect to the purpose of the contract. In the event of a conflict or ambiguity, the precedence provision of Section 104.03 shall apply.

1. Change Orders
2. Addenda to the Special Provisions
3. Special Provisions
4. Addenda to General Conditions and Standard Specifications
5. General Conditions and Specifications
6. Contract Plans
7. Standard Drawings
8. Instruction to Bidders
9. Bid Proposal

The Contractor shall furnish all materials, tools, equipment, labor, and do all work necessary and incidental to completing this contract, in accordance with the requirements of the documents pertinent thereto, including those listed in Section 104.02 of the Standard Specifications in their entirety, which are also set forth hereinabove.

The Contractor shall so complete this Contract and present same to the City on or before the time specified in the Bid Proposal. The total probable estimated cost of the Contract as stated on the Bid is _____. ($_____). It is agreed that the actual final total cost per item and total Contract may vary in accordance with the

SAMPLE

provisions of the Bid, Section 102.10 of the Standard Specifications, and Article 4 of the Instructions to Bidders.

2. CONTRACT COMPLETION

The City of Springfield hereby promises and agrees, with the Contractor, to contract with and does hereby contract with the Contractor to complete this contract in accordance with the above requirements, including any change orders, provided that a reasonable and equitable change order can be agreed upon between the Contractor and the City. In event of failure to so agree on any required change order, the City may then proceed with such work in any manner the City may elect. Such a situation and action by the City shall in no way relieve either the Contractor or the City of their respective obligations and responsibilities regarding all other requirements of this contract.

3. FULL PERFORMANCE BY CONTRACTOR

The Contractor, for itself, and for its heirs, executors, administrators, successors, and assigns, does hereby agree to the full performance of all the covenants herein contained upon the part of the Contractor.

4. NO LIABILITY TO CITY

It is further provided that no liability shall attach to the City by reason of entering into this contract, except as expressly provided herein.

5. CITY BONDING

The Contractor shall file with the City of Springfield at the time of execution of this contract. Both a Performance Bond and Payment Bond issued by a surety company registered to issue bonds in the State of Oregon and utilize bond forms acceptable to the City. The City will accept A.I.A. Document A312-2010 Performance and Payment Bonds (sample forms enclosed). The Bonds may not be altered.

The bonds shall be in the amounts of one hundred percent (100%) of this contract. All bonding shall remain in force for one (1) year after the date of City Council acceptance of the work, to cover all guarantees against defective workmanship and materials and execution of and in accordance with this contract, and to guarantee payment to all persons supplying labor and materials for the construction of the work. Failure to maintain the proper bonding shall be grounds for immediate termination of the contract.

6. HOLD HARMLESS AND INDEMNIFICATION

The Contractor shall defend, indemnify and hold harmless the City from and against all liability or loss and against all claims or actions based upon or arising out of damage or injury to persons or property caused by or sustained in connection with the performance of this contract by the Contractor except, pursuant to ORS 30.140, for losses, claims, or actions resulting from the sole negligence of the City.

The Contractor shall assume all responsibilities for the work and bear all losses and damages directly or indirectly resulting to the Contractor, the City, or to others on account of the character or performance of the work, unforeseen difficulties, accidents, or any other causes whatsoever. The Contractor shall assume defense of, indemnify and save harmless the City, its officials, agents, and employees from all claims, liability, loss, damage, and injury of every kind, nature, and description, directly or indirectly resulting from activities in the performance of the contract, the ownership, maintenance or use of motor vehicles in connection therewith, or the acts, omissions, operations, or conduct of the Contractor or any Subcontractor under the contract or any way arising out of the contract, irrespective of whether an act, omission or conduct of the City connected with the contract is a condition or contributory cause of the claim, liability loss, damage or injury and irrespective of whether act, omission or conduct of the Contractor or Subcontractor is merely a condition rather than a cause of a claim, liability, loss damage or injury. The Contractor shall not be liable for, nor be required to defend or indemnify, the City relative to claims for damage or damages resulting solely from acts or omissions of the City, its officials, agents, or employees. The absence of or inadequacy of the liability insurance required in section 7 shall not negate the Contractor's obligations in this paragraph.

SAMPLE

7. INSURANCE

All insurance shall carry a rating of A- or better with A. M. Best and must be approved by the City as to terms, conditions, and form prior to beginning work. Certificates of insurance evidencing all policies and endorsements required by this contract shall be delivered to the Owner prior to the commencement of any work. The Owner has the right to reject any certificate or endorsement for unacceptable coverage and/or companies.

A. Liability and Property Damage

The Contractor shall maintain in force for the duration of the contract, to include the warranty period, a Commercial General Liability insurance policy written on an occurrence basis with limits not less than $2,000,000 per occurrence and $3,000,000 in the aggregate. The policy will be endorsed with Additional Insured, Per Project Aggregate, Products and Completed Operations, and Primary and Noncontributory endorsements. The City, its employees, officials, and agents will be named as Additional Insured's where operations are being conducted related to this contract on the Commercial General policy as respects to work or services performed under this contract to the extent that the death or bodily injury to persons or damage to property arises out of the fault of the Contractor or the fault of the Contractor's agents, representatives or Subcontractors. The following statement will appear on the face of the certificate; "The City, its employees, officials, and agents are all named as additional insured while acting in their capacity as such." The City's Additional Insured status for Products and Completed Operations hazards shall extend for at least one year beyond formal Council acceptance of the project. This insurance shall be primary and shall be paid and applied first in its entirety prior to any application of insurance the CITY may carry on its own. A 30-day notice of cancellation or material change in the coverage clause shall be included.

The Contractor shall maintain in force for the contract duration, including the warranty period, and Automobile Liability insurance policy (owned, non-owned, and hired) with limits not less than $1,000,000 per occurrence. The policy will be endorsed with Additional Insured and Primary and Noncontributory endorsements. The City, its employees, officials, and agents will be named as Additional Insured's where operations are being conducted related to this contract on the Automobile Liability policy as respects to work or services performed under this contract to the extent that the death or bodily injury to persons or damage to property arises out of the fault of the Contractor or the fault of the Contractor's agents, representatives or Subcontractors. The following statement will appear on the face of the certificate; "The City, its employees, officials, and agents are all named as additional insured while acting in their capacity as such." This insurance shall be primary and shall be paid and applied first in its entirety prior to any application of insurance the CITY may carry on its own. A 30-day notice of cancellation or material change in the coverage clause shall be included.

B. Workers' Compensation

The Contractor shall provide and maintain Workers' Compensation coverage with limits no less than $500,000 for its employees, officers, agents, or partners, as required by applicable Workers' Compensation laws. If the Contractor is exempt from this coverage, a written statement, signed by the Contractor, explaining the reason for the exemption will be provided to the City prior to commencement of any work.

C. Course of Construction and/or Installation Floater

In the event Course of Construction/Installation Floater insurance is required by the City due to unique project specifications or the Contractor requests advance payment by the City for the purchase of materials pursuant to Section 109.07 of the City of Springfield Standard Construction Specifications, the Contractor shall provide Course of Construction/Installation Floater insurance in an amount equal to the value of the advance payment requested. The policy shall provide coverage for all risks and shall be approved by the City as to terms, conditions, and form covering the replacement cost of the applicable materials prior to the release of payment. The policy shall name the City of Springfield as Loss Payee. The coverage shall be maintained in full force for the duration of this contract. The City, at its option, may elect to obtain additional coverage.

D. Asbestos Abatement (only applicable to Asbestos Specific Contracts)

If applicable to this contract, the Contractor shall maintain in full force a Commercial General Liability

SAMPLE

policy approved by the City as to terms, conditions, and form that is Asbestos Specific with a minimum limit of $2,000,000 per occurrence and $3,000,000 in the aggregate written on a form that meets the following criteria:

a. A full occurrence form, or
b. A limited occurrence form with at least a three-year (3) tail, or
c. A claims-made form with a three-year (3) tail.

E. Pollution Liability Coverage (only applicable to Pollution Specific Contracts)
If applicable to this contract, the Contractor shall maintain in full force a Commercial General Liability policy approved by the City as to terms, conditions, and form that is Pollution Specific with a minimum limit of $2,000,000 per occurrence and $3,000,000 in the aggregate written on a form that meets the following criteria:

a. A full occurrence form, or
b. A limited occurrence form with at least a three-year (3) tail, or
c. A claims-made form with a three-year (3) tail.

F. Professional Liability Coverage (only applicable to contract if specified)
If Professional Liability insurance is required, the City must approve the terms, conditions, and limits prior to commencement of any work.

G. Additional Policies and Special Coverages
Refer to the Special Provisions section of this contract for additional coverages that may be required.

H. Railroad Protective Liability Coverage
If work being performed under this contract is near railroad tracks or a railroad right of way, and the Railroad requires special insurance (for example: Railroad Protective Liability Coverage) Contractor will be responsible for meeting the Railroad insurance requirements before any work commences. Any insurance required to be purchased by the Railroad is in addition to the insurance required by the City.

I. Subcontractors
The Contractor shall require all Subcontractors to provide and maintain General Liability, Auto Liability, and Workers' Compensation insurance and, as applicable, Professional, Asbestos, and Pollution Liability with coverages equivalent to those required of the General Contractor in this contract. The Contractor shall require certificates of insurance from all Subcontractors as evidence of coverage. Upon request, the Contractor shall provide certificates of insurance for all Subcontractors performing work on the project to the City.

J. Additional Insured Endorsement
All certificates of insurance, with the exception of Professional Liability and Railroad Protective Liability, must include an endorsement that lists the City of Springfield as a named additional insured. The following statement will appear on the face of the certificate; "The City, its employees, officials, and agents are all named as additional insured while acting in their capacity as such."

K. Evidence of Coverage and Notice of Cancellation or Material Change in Coverage
Evidence of the required coverages issued by a company satisfactory of the City shall be provided to the City by way of a certificate of insurance before any work or services commence. A 30-day notice of cancellation or material change in the coverage clause shall be included.

If the approved insurance company will not provide this 30-day notice, it shall be the Contractor's responsibility to provide written notice to the City within two (2) days of the Contractor becoming aware that their coverage has been canceled or materially changed. The Contractor shall e-mail notification directly to Amanda Clinton at aclinton@springfield-or.gov. Regardless of the circumstances causing the Contractor's insurance coverage to cease or be modified, the Contractor's responsibility is to notify the City as described above.

SAMPLE

Failure to maintain the proper insurance or provide notice of cancellation or material change shall, at the City's option, be grounds for immediate termination of this Contract. _____
(Contractor initials)

L. Equipment and Material
The Contractor shall be responsible for any loss, damage, or destruction of its own property, equipment, and materials used in conjunction with the work.

8. INDIAN GRAVES AND PROTECTED OBJECTS

The Contractor warrants that it will observe all applicable requirements of ORS 97.740 et. seq. regarding Indian Graves and Protected Objects (ORS 358.905-.961 and ORS 390.235-.240).

In the event the Contractor or any of its Subcontractors or agents discover, become aware of, or find any Native Indian Artifacts, sites, human remains, or funerary objects on the real property on which the Contractor is fulfilling this contract, the Contractor will immediately safeguard the artifacts and site, halt construction activities at the area of the find, and immediately notify City. Such artifacts may include but not be limited to charred and cracked rocks or charcoal layers of soil indicating a hearth or oven, stone chips of obsidian and other colored rocks, stone bowls, arrow and spear points, stone tools, and bone fragments. All artifacts found shall be turned over to the City for appropriate disposition in accordance with applicable law. Upon receipt of notification, the City will retain a consultant archeologist to conduct an initial assessment of significance of the find. The Contractor and City will work together to comply with all applicable requirements of ORS 97.740 et. seq. in a manner which has the least impact upon the construction schedule. If compliance requires some adjustment of the construction schedule, the Contractor and the City shall make reasonable adjustments.

9. TIME IS OF THE ESSENCE

Time is of the essence in the Contractor's performance of the contract. Delays in the Contractor's work performance may inconvenience the public, interfere with business and commerce, and increase the cost to the City. It is essential and in the public interest that the Contractor prosecute the work vigorously to Contract completion. The City does not waive any rights under the contract by permitting the Contractor to continue to perform the contract, or any part of it, after the Contract Time of Completion specified, or as adjusted by Contract Change Order, has expired.

A. Liquidated Damages
The City of Springfield and the Contractor agree that; (a) time is of the essence; (b) the amounts so fixed are reasonable forecasts of just compensation for the harm that is caused by the breach; (c) the harm that is caused by the breach is one that is incapable of or very difficult of accurate estimation; and, (d) the amount so fixed is not fixed as a penalty to coerce performance of the contract but is instead intended to be a genuine pre-estimation of injury to the City of Springfield in lieu of performance within the Contract time by the Contractor or the Contractor's failure to report sewage spills. Therefore, it is agreed as follows:

1. Delay
It is agreed by the City of Springfield and by the Contractor that the need exists for a damage provision in the event the Contractor fails to complete the work within the Contract time specified, or any extension thereof, by the City of Springfield. The City of Springfield and the Contractor further agree that the Contractor shall be liable to the City of Springfield for fixed, agreed, and liquidated damages for each and every calendar day of delay in the amount of $500.00 per day in accordance with Subsection 108.07 of the Standard Construction Specifications.

2. Failure to Report Sewage Spills
The Contractor also agrees to liquidated damages in the amount of $500.00 per incident for failure to report sewage spills plus an amount sufficient to reimburse the City for any civil and administrative penalties paid by the City as a result of the Contractor's failure to report. Failure to report sewage spills may subject the City to (1) civil penalties of up to $32,500.00 per day of violation pursuant to Section 309(d) of the Clean Water Act, 33 U.S.C. § 1319(d); (2) administrative penalties of up to $11,000.00 per day for each violation, pursuant to Section 309(g) of the Clean

SAMPLE

Water Act, 33 U.S.C. § 1319(g); or (3) civil action in federal court for injunctive relief pursuant to Section 309(b) of the Clean Water Act, 33 U.S.C. § 1319(b).

10. PREVAILING WAGE RATE PROVISIONS

Oregon law requires that if prevailing wage rate law applies, a public agency must pay the prevailing wage rate for all contracts over $50,000. For contracts over $50,000, the Contractor will comply with the applicable requirements of O.R.S. 279C.800 through 279C.870 including the provisions in this Section 10.

A. Notice

In the event that the total cost of the contract as specified in Section 1 "General Requirements" does not initially exceed $50,000 but during the scope of work increases through amendments, change orders, additions, supplements, other contracts, or through any other reason or process, formal or informal, planned or unplanned, to an amount greater than $50,000 then the entire contract is covered under the requirements of the prevailing wage rate law as described below.

B. Prevailing Wage Rate

Each worker in each trade or occupation employed in the performance of this contract either by the Contractor, Subcontractor or other person doing or contracting to do or contracting for the whole or any part of the work on the contract, must be paid not less than the applicable prevailing wage rate. Prevailing wage rate payments include fringe benefits for each trade or occupation in the locality where such labor or work is performed, as determined by the commissioner, in which the workers are employed. The existing rate of wage is the rate, in effect at the time the initial specifications were first advertised for bid solicitations as determined by the commissioner of the Bureau of Labor and Industries under ORS279C.815. Information regarding the Prevailing Wage Rate that is applicable to this contract is contained in the document titled "Prevailing Wage Information," which is included within the Invitation to Bid documents and is incorporated herein by reference.

C. Submission of Certified Payrolls

As specified in O.R.S. 279C.845, the Contractor or the Contractor's surety and every Subcontractor or the Subcontractor's surety shall file certified statements with the public agency in writing, on a form prescribed by the commissioner of the Bureau of Labor and Industries, certifying the hourly rate of wage paid each worker whom the Contractor or the Subcontractor has employed upon the public works, and further certifying that no worker employed upon the public works has been paid less than the prevailing rate of wage or less than the minimum hourly rate of wage specified in the contract. The certificate and certified statement shall be verified by the oath of the Contractor or the Contractor's surety or Subcontractor or the Subcontractor's surety that the Contractor or Subcontractor has read the certified statement and certificate and knows the contents thereof and that the same is true to the Contractor or Subcontractor's knowledge. Certified statements (also referred to as certified payroll reports) shall be submitted to the City no later than the 5th business day of the following month for which the certified statement and certificate are being presented, regardless of whether any actual work is performed on the project or not. This information must be submitted to the City and also retained by the Contractor and Subcontractor(s) for three years.

Contracting agencies and general contractors are required to withhold 25% of the amounts to Contractors if certified payrolls are not filed by the Contractor as required for work performed on projects subject to the prevailing wage rate law. Failure of Contractors to comply with the certified payroll filing requirements of the law, therefore, will result in a negative fiscal impact to those Contractors of up to 25% of their amount owed.

Each worker employed in the performance of this contract, either by the Contractor or Subcontractor or other person doing or contracting to do or contracting for the whole or any part of the work of the contract, must be paid not less than the specified minimum hourly rate of wage in accordance with O.R.S. 279C.838 and 279C.840.

11. BONDING TO BE FILED WITH THE CONSTRUCTION CONTRACTORS BOARD

SAMPLE

As specified in O.R.S. 279C.836, the Contractor shall file a public works bond with a corporate surety in the amount of $30,000.00 with the Construction Contractors Board before starting work on a Contract for a public works project subject to the provisions of the Prevailing Wage Rate Law (O.R.S. 279C.800 to 279C.870) with a total Contract price greater than $100,000. In addition, as specified in O.R.S. 279C.830, the Contractor shall include a provision in any, and all subcontracts requiring all Subcontractors have a valid bond filed with the Construction Contractor's Board before starting work on a project, as applicable, unless exempt.
Exemptions from the bond requirement may be granted under specific circumstances as outlined in O.R.S. 279C.836(7) for certified disadvantaged, minority, women, or emerging small business enterprises. The Contractor shall contact BOLI regarding qualifications for such exemptions.

If qualified, the enterprise must provide the Construction Contractor's Board with written notification of its certification. In addition, the enterprise must notify the City that a public works bond has not been filed and provide proof of qualification prior to commencing work.

By signing this contract, the Contractor certifies that the Contractor, and any Subcontractor who will perform work under this contract, will file a public works bond with the Construction Contractors Board as required prior to beginning work on the project.

12. INELIGIBLE CONTRACTORS LIST

No Contractor, Subcontractor or any firm, corporation, partnership or association in which the Contractor or Subcontractor has a financial interest who appears on *the List of Contractors Ineligible to Receive Public Works Contracts*, as established by the Bureau of Labor and Industries, will perform work under this contract, as specified in O.R.S. 279C.860.

No Contractor, Subcontractor or any firm, corporation, partnership or association in which the Contractor or Subcontractor has a financial interest who appears on the Construction Contractor's Board *Not Qualified to Hold Public Contracts* list, will perform work under this contract, as specified in ORS 701.227(4).

13. COMPLIANCE WITH ALL GOVERNMENT REGULATIONS/TERMINATION FOR FAILURE TO COMPLY

The Contractor shall comply with all Federal, State, and local laws, codes, regulations, and ordinances applicable to the work performed under this contract. Failure to comply with such requirements shall constitute a breach of contract and shall be grounds for termination of this contract. Damages or costs resulting from non-compliance shall be the sole responsibility of the Contractor. Other grounds for termination are set forth in Sections 108.11 and 108.12 of the Standard Construction Specification of the City of Springfield.

In accordance with O.R.S. 279C.505, the Contractor shall;

a) Make payment promptly, as due, to all persons supplying to the Contractor labor or material for the performance of the work provided for in the contract.

b) Promptly pay all contributions or amounts due to the State Industrial Accident Fund, or private carrier of accident insurance, from such Contractor or Subcontractor incurred in the performance of the contract. If a private carrier is used, the Contractor shall notify the Engineer as to the carrier's name and address before the commencement of work.

c) Not permit any lien or claim to be filed or prosecuted against the state or a county, school district, municipality, municipal corporation or subdivision thereof, on account of any labor or material furnished.

d) Pay to the Department of Revenue all sums withheld from employees under ORS 316.167.

e) Have an employee drug-testing program in place at the time of signing the contract and will maintain such a drug-testing program in place over the life of the contract. Upon request, the Contractor shall furnish a copy of the employee drug testing program to the City.

SAMPLE

In accordance with O.R.S. 279C.510, If demolition is involved, the Contractor shall salvage or recycle construction and demolition debris, if feasible and cost-effective, as required by O.R.S. 279C.510(1). If lawn or landscaping maintenance is involved, the Contractor shall compost or mulch yard waste in an approved site, if feasible and cost-effective, as required by O.R.S. 279C.510(2).

In accordance with O.R.S. 279C.515, if the Contractor fails, neglects, or refuses to make prompt payment of any claim for labor or services furnished to the Contractor or a Subcontractor by any person, or the assignee of the person, in connection with the Public Works Contract as such claim becomes due, the City of Springfield may pay such claim and charge the amount of the payment against funds due or to become due to the Contractor by reason of the contract. The payment of a claim in this manner shall not relieve the Contractor or the Contractor's surety from obligation with respect to any unpaid claims.

If the Contractor or first-tier Subcontractor fails, neglects or refuses to make payment to a person furnishing labor or materials in connection with the Public Improvement Contract within 30 days after receipt of payment from the contracting agency or a Contractor, the Contractor or first-tier Subcontractor shall owe the person the amount due plus interest charges in the amount of 9 percent per annum commencing at the end of the 10-day period that payment is due under O.R.S. 279C.580(4) and ending upon final payment unless payment is subject to a good faith dispute as defined in O.R.S. 279C.580.

If the Contractor or a Subcontractor fails, neglects or refuses to make payment to a person furnishing labor or materials in connection with the Public Improvement Contract, the person may file a complaint with the Construction Contractors Board, unless payment is subject to a good faith dispute as defined in O.R.S. 279C.580.

In accordance with O.R.S. 279C.520, no person will be employed by the Contractor or Subcontractor for more than 10 hours in any one day, or 40 hours in any one week except in cases of necessity, emergency, or where the public policy absolutely requires it, and in such cases the person so employed shall be paid at least time and one-half the regular rate of pay for all times worked in excess of eight hours a day or 40 hours in any one week when the workweek is five consecutive days, Monday through Friday; or in excess of 10 hours a day or 40 hours in any one week when the workweek is four consecutive days, Monday through Friday; and for all work performed on a Saturday, Sunday and on any legal holiday specified in O.R.S. 279C.540.

The Contractor, Subcontractor or other person doing, or contracting to do, or contracting for the whole or any part of the work on the contract shall give notice to employees working on the Contract project in writing, either at the time of hire or before the commencement of work on the contract, and by posting a notice in a conspicuous location which is accessible to and frequented by employees, of the number of hours per day and days per week that the employee may be required to work. The posting must remain in place for the duration of the job.

In compliance with O.R.S. 279C.525, the Contractor is made aware that the following federal, state, and local agencies have enacted ordinances or regulations relating to the prevention of environmental pollution or the preservation of natural resources, which may affect the performance of City of Springfield contracts. This is not intended to be a complete listing of agencies. Other agencies may have enacted ordinances or regulations that may apply.

If the Contractor is delayed or must undertake additional work by reason of existing ordinances, rules or regulations of agencies not cited in the contract or due to the enactment of new or the amendment of existing statutes, ordinances, rules, or regulations relating to the prevention of environmental pollution and the preservation of natural resources occurring after the submission of the successful bid, the contracting agency may, at its discretion, terminate the contract, complete the work itself; use non-agency forces already under contract with the City, require that the underlying property owner be responsible for cleanup, solicit bids for a new contractor to provide the necessary services or issue the Contractor a change order setting forth the additional work that must be undertaken.

If the Contractor encounters a condition not referred to in the Invitation to Bid documents, not caused by

SAMPLE

the Contractor or any subcontractor employed on the project and not discoverable by a reasonable pre-bid visual site inspection, and the condition requires compliance with the ordinances, rules or regulations referred to under this regulation, the Contractor shall immediately notify the City of the condition.

FEDERAL AGENCIES

Department of Agriculture
Forest Service
Soil Conservation Service
Department of the Army Corps of Engineers
Coast Guard
Department of Health and Human Services
Department of the of Interior
Bureau of Indian Affairs
Bureau of Land Management
Bureau of Outdoor Recreation
Department of Commerce
Fish and Wildlife Service
Office of Surface Mining
Reclamation and Enforcement
Bureau of Reclamation
Department of Labor
Occupational Safety and Health Administration
Mine Safety and Health Admin
Department of Transportation
Federal Highway Administration
Environmental Protection Agency

STATE AGENCIES

Department of Agriculture
Department of Energy
Department of Environmental Quality
Department of Fish and Wildlife
Department of Forestry
Department of Geology and Minerals
Department of Human Resources
Land Conservation and Development Commission
Division of State Lands
State Soil and Water Conservation Commission
Water Resources Department
Oregon Department of Transportation

LOCAL AGENCIES

City of Springfield
Planning Commission, City of Springfield
Springfield Development and Public Works
Metropolitan Wastewater Management Commission
City of Springfield Urban Renewal Districts - Downtown and Glenwood
Springfield Utility Board
Lane County
Planning Commission, Lane County
Willamalane
Lane Regional Air Protection Authority
Lane Council of Governments
Rainbow Water District
Emerald People's Utility District

In accordance with O.R.S. 279C.530, the Contractor will;

Promptly, as due, make payments to any person, co-partnership, association or corporation, furnishing medical, surgical, and hospital care or other needed care and attention, incidental to sickness or injury, to the employees of such Contractor, of all sums which the Contractor agrees to pay for such services and all monies and sums which the Contractor:

a) May or shall have deducted from the wages of his employees for such services pursuant to the terms of Oregon Revised Statutes and any contract entered in pursuant thereto; or

b) Collected or deducted from the wages of his employees pursuant to any law, contract, or agreement for the purpose of providing or paying for such service; and

c) Will comply with ORS 656.017 and provide the required Workers' Compensation coverage, unless such employers are exempt under ORS 656.126. Contractor shall ensure that each of its Subcontractors complies with these requirements.

In accordance with O.R.S. 279C.580, each subcontract the Contractor enters into with a first-tier Subcontractor for property or services, including a material supplier, for the purpose of performing this contract must include the following:

a) A payment clause that obligates the Contractor to pay the first-tier Subcontractor for satisfactory performance under the subcontract within 10 days out of amounts the contracting agency pays to

SAMPLE

the Contractor under the Public Improvement Contract.

b) A clause that requires the Contractor to provide a first-tier Subcontractor with a standard form that the first-tier Subcontractor may use as an application for payment or as another method by which the Subcontractor may claim payment due from the Contractor.

c) A clause that requires the Contractor, except as otherwise provided, to use the same form and regular administrative procedures for processing payments during the entire term of the subcontract. A Contractor may change the form or the regular administrative procedures the Contractor uses for processing payments if the Contractor:

   1.) Notifies the Subcontractor in writing at least 45 days before the date on which the Contractor makes the change; and

   2.) Includes with the written notice a copy of the new or changed form or a description of the new or changed procedure.

d) An interest penalty clause that obligates the Contractor, if the Contractor does not pay the first-tier Subcontractor within 30 days after receiving payment from the contracting agency, to pay the first-tier Subcontractor an interest penalty on amounts due in each payment the Contractor does not make in accordance with the payment clause included in the subcontract under paragraph (a) of this subsection. A Contractor or first-tier Subcontractor is not obligated to pay an interest penalty if the only reason that the Contractor or first-tier Subcontractor did not make payment when payment was due is that the Contractor or first-tier Subcontractor did not receive payment from the contracting agency or Contractor when payment was due. The interest penalty:

   1.) Applies to the period that begins on the day after the required payment date and that ends on the date on which the amount due is paid; and

   2.) Is computed at the rate specified in O.R.S. 279C.515 (2).

The Contractor shall require the first-tier Subcontractor to include a payment clause and an interest penalty clause that conforms to the standards of subsection (3) of O.R.S. 279C.580 in each of the first-tier Subcontractor's subcontracts and to require each of the first-tier Subcontractor's Subcontractors to include such clauses in the first-tier Subcontractors' subcontracts with each lower-tier Subcontractor or supplier.

14. NONDISCRIMINATION

The Contractor shall comply with all applicable requirements of Federal and State civil rights and rehabilitation statutes, rules, and regulations.

15. RIGHTS IN DATA/OWNERSHIP OF WORK PRODUCT

(a) Work Product - All Work Product created by the Contractor and originated and prepared for the City of Springfield pursuant to this contract, including derivative works and compilations, and whether or not such Work Product is considered a "work made for hire," shall be the exclusive property of the City. The ideas, concepts, know-how, or techniques developed during the course of this contract by the Contractor's personnel can be used by either party in any way it may deem appropriate. Material already in the Contractor's possession, independently developed by the Contractor outside the scope of this contract, or rightfully obtained by the Contractor from third parties, shall belong to the Contractor irrespective of their similarity to materials which might be delivered to the City of Springfield pursuant to this contract. The Contractor shall not, however, use any written materials developed under this contract in developing materials for others, except as provided in this section.

(b) Limited City Indemnity - If the City reuses or modifies the Work Product without the Contractor's involvement or prior written consent, to the extent permitted by Article XI, Section 7, of the Oregon Constitution, and subject to the protections afforded by the Oregon Tort Claims Act, the City shall indemnify the Contractor, within the limits of the Tort Claims Act, and any other protections afforded the City, against liability for damage to life or property arising from the City's reuse or modification of the Work Product; provided, however, the City shall not be required to indemnify the Contractor for any such liability arising out of or related to defective Plans and Specifications, or Contractor's breach of the contract, professional

SAMPLE

negligence, or the negligent or wrongful acts of the Contractor's Subcontractors, employees, or agents in preparing the Plans and Specifications or testing and inspection conducted for the project.

(c) Contractor Use of Work Product - The Contractor, despite other conditions of this provision, shall have the right to utilize such Work Products on its brochures or other literature that it may disseminate for its sales promotions, and in addition, unless specifically otherwise prohibited elsewhere in the Contract documents, the Contractor may use its standard line drawings, specifications, and calculations on other, unrelated projects.

16. PATENTS, COPYRIGHTS AND TRADEMARKS

Prior to use of designs, devices, materials, or processes protected by patent, copyright, or trademark, the Contractor shall obtain from the Entity entitled to enforce the patent, copyright, or trademark all necessary evidence of legal right. The Contractor shall indemnify, defend, and hold harmless the City from claims of the patent, copyright, or trademark infringement and from costs, expenses, and damages the Contractor or the City may be obligated to pay as a result of such infringement during or after completing the work.

17. ASSIGNMENT

The Contractor shall not assign, sell, transfer, subcontract or sublet rights, or delegate responsibilities under this contract, in whole or in part, without the prior written approval of the City of Springfield. No such written approval shall relieve the Contractor of any obligations of this contract, and any transferee or Subcontractor shall be considered the agent of the Contractor. The Contractor shall remain liable as between the original parties to this contract as if no such assignment had occurred.

18. SUBCONTRACTING

Subcontracts shall provide that work performed under the subcontract shall be conducted and performed according to the terms of this contract. Whether stated in the Subcontract Agreement itself or not, the Contractor shall remain solely responsible for the administration of the subcontract, including, but not limited to the performance of the subcontracted work, the progress of the subcontracted work, payment for accepted subcontracted work, and disputes and claims for additional compensation regarding all subcontracted work.

The City's approval of a Subcontractor will not create a contract between the City and the Subcontractor, shall not convey to the Subcontractor any rights against the City, and shall not relieve the Contractor or the Contractor's Surety of any of their responsibilities under this contract.

19. DUAL PAYMENT

The Contractor shall not be compensated for work performed under this contract from any City of Springfield agency other than the agency which is a party to this contract.

20. ACCESS TO RECORDS

The City of Springfield and its duly authorized representatives shall have access to books, documents, papers, and records of the Contractor which are directly pertinent to this contract for the purpose of making audit, examination, excerpts, and transcripts.

21. FORCE MAJEURE

Neither party to this contract shall be held responsible for delay or default caused by fire, riot, acts of God and/or war that is beyond that party's reasonable control. The City of Springfield may terminate this contract upon written notice after determining such delay or default will unreasonably prevent the successful performance of the contract.

22. AMENDMENTS

The terms of this contract shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever without the prior written approval of the City of Springfield. No modification of this contract shall bind either party unless reduced to writing and subscribed by both parties or ordered by a Court.

SAMPLE

23. WAIVER
Failure of the City to enforce any provision of this contract shall not constitute a waiver or relinquishment by the City of the right to such performance in the future nor of the right to enforce any other provision of this contract.

24. SEVERABILITY
If any provision of this contract is declared by a court to be illegal or in conflict with any law, the validity of the remaining terms and provisions shall not be affected, and the rights and obligations of the parties shall be construed and enforced as if the contract did not contain the particular provision held to be invalid.

25. CAPTIONS
The headings, subheadings, and titles to paragraphs of this agreement are solely for the convenience of the parties and shall not be used to explain, modify, simplify, or aid in the interpretation of the provisions of this contract. They do not form a part of this contract and shall not be used in construing this contract.

26. ATTORNEY FEES
In the event a lawsuit of any kind is instituted on behalf of the City of Springfield to enforce any provision of this contract, the Contractor shall pay such additional sums as the court may adjudge reasonable for attorney fees plus all costs and disbursements at trial and on any appeal.

27. REMEDIES
This contract shall be governed and construed in accordance with the laws of the State of Oregon, apart from the choice of law provisions. The parties agree that the Circuit Court for the County of Lane, State of Oregon, or the Federal District Court of the State of Oregon (Eugene) is the sole and proper forum for resolving any disputes involving this contract, any breach of this contract, or relating to its subject matter. The Parties agree to submit themselves to the jurisdiction of such courts without challenge to the jurisdiction of these courts. This contract shall not be construed more favorably to the City due to the preparation of this contract by the City.

28. OWNERSHIP STATUS
Both parties understand and acknowledge that the City is a public body as specified in ORS 30.260 and maintains its status as a public body and retains all immunities and privileges granted it and its officers, agents, and employees by the Tort Claims Act (ORS 30.260 – ORS 30.295) and any and all other statutory rights granted the City as a result if its status as a public body.

29. SUCCESSORS IN INTEREST
The provisions of this contract shall be binding upon and shall inure to the benefit of the parties to this contract and their respective successors and assigns.

IN WITNESS WHEREOF: The said City has caused these presents to be executed by its City Manager (or Designee) as authorized by Ordinance 6281 of the Common Council of the City of Springfield, and the said Contractor has caused these presents to be executed itself.

CITY OF SPRINGFIELD, OREGON **(A Municipal Corporation)**	**CONTRACTOR**
By:	**By:**
City Manager	**Name of Company** ***(Please Print)***
Date	**Contractor's Signature**
	Name: ***(Please Print)***
	Title: ***(Please Print)***

SAMPLE

Date

Business Address

City **State** **Zip**

Office Phone

Cell Phone

E-Mail Address

SAMPLE

PREVAILING WAGE RATE INFORMATION

Prevailing Wage Rates information can be found at the following website:

https://www.oregon.gov/boli/employers/Pages/prevailing-wage-rates.aspx

For the proper Prevailing Wage Rates applicable to this project please refer to the following publications:

1.) Prevailing Wage Rate Publication; Prevailing Wage Rates for Public Works Contracts in Oregon with an effective date of July 1st, 2021.

2.) Prevailing Wage State Apprenticeship Rates with an effective date of July 1st, 2021.

The following Amendments to the Prevailing Wage State Apprenticeship Rates also apply;

a.) N/A.

CITY OF SPRINGFIELD

Special Provisions

for

P21168

2021 Maintenance Hole Rehabilitation

Engineer's Seal

SPECIAL PROVISIONS

SECTION A – General Requirements

P21168 – 2021 Maintenance Hole Rehab

A1.1 Codes and Standards

All work shall be performed in accordance with the highest standard of practice in the industry and shall be furnished in conformance with all applicable codes, statutes, or standards that apply to this work including, but not limited to, any applicable Federal, State or City of Springfield Codes, Standards, and Ordinances.

A1.2 Applicable Standard Specifications

Division 100, General Requirements, of the 1994 Edition of the Standard Construction Specifications of the City of Springfield, Oregon, including all revisions at the date of Bid opening, and Parts 00200 through 03000 of the 2018 Oregon Standard Specifications for Construction shall apply to this Invitation to Bid and the ensuing construction contract, except as may be modified herein. If any section of the 2018 Oregon Standard Specifications for Construction should refer to Section 00100 of the same, the Bidder will instead refer to the equivalent section in Division 100 of the 1994 Edition of the Standard Construction Specifications, including all revisions at the date of Bid opening. In the case of discrepancy, unless noted otherwise herein, the provision determined by the City to be more restrictive shall apply.

A1.3 Form of Proposal

REPLACE SECTION 102.02 FORM OF PROPOSAL" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"The Proposal and the proposal guarantee in the form of a bid bond, certified check, or 'cashier's check shall be enclosed in a sealed, labeled, and addressed envelope, as required in the Instructions to Bidders and filed as required therein. The outside of the envelope shall plainly identify: (1) The project name and (2) The Bid opening date.

All Proposals must be clearly and distinctly typed or written with ink or indelible pencil.

All Proposals shall be on the form furnished by Owner, and in addition to necessary unit price items and total prices in the column of totals to make a complete Bid, all applicable blanks giving general information must be filled in, and the Bids signed by an officer or duly authorized representative of the Bidder. Any statement accompanying and tending to qualify a Bid may cause rejection of such Bid, unless such statement is required, in a Proposal embracing alternate Bids. All bid documents except plans must be returned with the Bid.

Unless otherwise specified, Bidders shall bid on all Bid items included in the Proposal, and the low bidder shall be determined as noted in Subsection 103.01 AWARD OF CONTRACT. Except as provided herein, Proposals which are incomplete or fail to comply with all items required in the Proposal may be rejected."

ALL BID DOCUMENTS, EXCEPT PLANS, MUST BE RETURNED WITH THE BID.
This includes all documents contained in the original bid book, whether they require the completion of information or not and any addendum that may be issued pertaining to the Bid in question. The only exceptions to this are any plans or drawings, which are not required to be submitted as a part of your Bid.

The Bid Submittal, Bid Bond, Certified Check, or Cashier's Check shall be enclosed in a sealed and labeled envelope. The outside of the envelope shall plainly identify: (1) The project name and project number and (2) The Bid opening date. All Bids must be clearly and distinctly typed or written with ink or indelible pencil. Unless otherwise specified, Bidders shall bid on all Bid items and must include in their Bid prices the entire cost of each item of work set forth in the Bid.

Sealed Bids shall be addressed to Jeff Paschall, City Engineer, and received at the Development and Public Works Office, City of Springfield City Hall, 225 Fifth St. Springfield, Oregon, 97477 at, or before, the time and date noted on the Invitation to Bidders, after which time the Bids will be publicly opened and read aloud.

All Bids shall be on the form furnished by the City, and in addition to necessary unit price items and total prices in the column of totals to make a complete Bid, all applicable blanks giving general information must be filled in, and the Bids signed by an officer or duly authorized representative of the Bidder. The only exceptions to this requirement are the Performance Bond, Payment Bond, Statutory Public Works Bond, and the Contract documents, which are provided here as a reference. However, if you are awarded the Bid, you will be required to submit fully executed copies of these documents upon request. Any statement accompanying and tending to qualify a Bid may cause rejection of such Bid, unless such statement is required in a Bid embracing alternate Bids.

If, in the opinion of the City, the items or prices in any Bid appear unbalanced, incomplete, or fail to comply with all the terms required, the Bid may be rejected"."

A1.4 Proposal Guaranty and Organization

REPLACE SECTION 102.05 "PROPOSAL GUARANTY AND ORGANIZATION" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Each Bid must be accompanied by a Bid Bond, cash or a certified or cashier's check upon a bank in good standing, payable to the Finance Director of the City of Springfield, Oregon, in an amount equal to at least 10% of the total amount of the Bid. Such Proposal guaranty shall be forfeited and become the property of the City in case the Bidder shall fail or neglect to furnish a satisfactory Performance Bond and Payment Bond and to execute the contract within ten days (Saturday, Sunday, and holidays excepted) after receiving said Contract from the City for execution. Bid bonds submitted shall be on the form provided by the City in the Bid document"."

INSERT IN ITS PLACE THE FOLLOWING:

"As required by ORS 279C.365(4), each Bid shall be accompanied by a Bid Bond, cash, or a certified or 'cashier's check written upon a bank in good standing and in a form acceptable to the City, payable to the Finance Director of the City of Springfield, Oregon, in an amount equal to at least 10 percent of the total amount of the Bid. Bid Bonds shall be issued by a surety company registered to issue bonds in the State of Oregon and utilizing a bond form acceptable to the City. The City will accept AIA Document A310-2010 Bid Bond (sample form enclosed). The Bid Bond may not be altered.

Such Bid Guarantee shall be forfeited and become the property of the City in case the Bidder shall fail or neglect to furnish a satisfactory Performance and/or Payment Bond issued by a viable bond company acceptable to the City as required by ORS 279C.380 and to execute the contract

within ten (10) days (Saturday, Sunday, and holidays excepted) after receiving Contract from the City for execution. For information regarding Performance and Payment Bond requirements, see City of Springfield Contract document, Section 5. City Bonding"."

A1.5 Interpretation of Contract Documents

REPLACE SECTION 102.07 "INTERPRETATION OF CONTRACT DOCUMENTS" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"If it should appear to a Bidder that the work to be done, or matters relative thereto, is not sufficiently described or explained in the Contract Documents, or that Contract Documents are not definite and clear, the Bidder may make a written inquiry regarding same to the Engineer at least five days before the scheduled closing time for filing Bids. Requests to clarify the source of materials, equipment suppliers, or any other such matter which does not modify, change, increase, or decrease the scope of the work require no action by the Owner other than a response to the Bidder requesting the clarification. Clarifications that modify, change, increase, or decrease the scope of work, require the issuance of an Addendum by the Owner for the interpretation to become effective. Such addenda will be mailed to all holders of the Contract Documents. Oral instruction or information concerning the Contract Documents or the project given out by officers, employees, or agents of the Owner to prospective Bidders shall not bind the Owner. "

"If it should appear to a Bidder that the work to be done is not sufficiently described or explained in the Contract Documents, or that Contract Documents are not definite and clear, the Bidder shall make a written inquiry regarding same to the individual shown, in the manner instructed and within the timeframe indicated in the Invitation to Bid advertisement. Questions received will be evaluated, and if, in the judgment of the City, the response does not alter or amend the requirements or scope of the Invitation to Bid but merely clarifies existing information, the response will be entered on the Clarifications Log and posted to the project webpage as shown in the Invitation to Bid. If in the judgment of the City, additional information or interpretation is necessary, such information shall be supplied in the form of an addendum to all individuals, firms, and corporations listed on the Plan Holders List and those individuals that attended the Pre-Bid Meeting and provided an accurate e-mail address on the sign-in sheet. Such addenda shall have the same binding effect as though contained in the main body of the Contract Documents. The City is not responsible for any explanation, clarification, interpretation or approval made or given in any manner except by written addenda issued by City."

A1.6 Addenda to Contract Documents

REPLACE SECTION 102.08 "ADDENDA TO CONTRACT DOCUMENTS" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Any addenda issued by the Owner, which may include changes, corrections, additions, interpretations, or information, and issued 48 hours or more before the scheduled closing time for filing the Bids, Saturday, Sunday and legal holidays not included, shall be binding upon the Bidder. Owner shall supply copies of such addenda to all Contractors who have obtained copies of the Contract Documents for the purposes of bidding thereon. Failure of the Contractor to receive or obtain such addenda shall not excuse him from compliance therewith if he is awarded the Contract."

INSERT IN ITS PLACE THE FOLLOWING:

"Any addenda issued by the City, which may include changes, corrections, additions, interpretations, or information issued 72 hours or more before the scheduled closing time for filing the Bids shall be binding upon the Bidder. Addenda will be posted to the City's website

athttps://springfield-or.gov/city/development-public-works/current-construction-projects/invitations-to-bid/.The Contractor should check the website frequently for new postings during the open bid period. The City shall make a reasonable effort to notify all individuals, firms, and corporations listed on the Plan Holders List and those individuals that attended the Pre-Bid Meeting and provide an accurate e-mail address on the sign-in sheet when addenda are issued. Failure of the Contractor to receive or obtain such addenda shall not excuse them from compliance."

A1.7 Familiarity With Laws and Ordinances

REPLACE THE THIRD PARAGRAPH OF SECTION 102.09 "FAMILIARITY WITH LAWS AND ORDINANCES" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"In compliance with ORS 279.318, the Contractor is made award that the following Federal, State, and local agencies have enacted ordinances or regulations relating to the prevention of environmental pollution or the preservation of natural resources which may affect the performance of the City of Springfield contracts""""""""""""""."

FEDERAL AGENCIES

Department of Agriculture
Forest Service
Soil Conservation Service
Department of the Army-Corp of Engineers
Coast Guard
Dept. of Health & Human Services
Dept. of Interior-of Indian Affairs
Bureau of Land Management
Bureau of Outdoor Recreation
Fish and Wildlife Service
Office of Surface Mining
Reclamation & Enforcement
Department of Labor
Occupational Safety & Health Administration
Mine Safety & Health Admin.
Department of Transportation
Federal Highway Admin.
Environmental Protection Agency

STATE AGENCIES

Department of Agriculture
Department of Energy
Dept. of Environmental Quality
Dept. of Fish & Wildlife
Dept. of Forestry
Dept. of Geology & Minerals
Dept. of Human Resources
Land Conservation and Development Bureau Commission
Division of State Lands
State Soil and Water Conservation Commission
Water Resources Department

LOCAL AGENCIES

Common Council, City of Springfield
County Court, Lane County
Planning Commission, City of Springfield
Planning Commission, Lane County
Lane Regional Air Pollution Authority
Springfield Utility Board"

INSERT IN ITS PLACE THE FOLLOWING:

In compliance with ORS 279C.525, the Contractor is made aware that the following federal, state, and local agencies have enacted ordinances or regulations relating to the prevention of environmental pollution or the preservation of natural resources, which may affect the performance of City of Springfield contracts. This is not intended to be a complete listing of agencies. Other agencies may have enacted ordinances or regulations that may apply.

If the Contractor is delayed or must undertake additional work by reason of existing ordinances, rules, or regulations of agencies not cited in the Contractor due to the enactment of new or the amendment of existing statutes, ordinances, rules, or regulations relating to the prevention of environmental pollution and the preservation of natural resources occurring after the submission of the successful Bid, the contracting agency may, at its discretion, terminate the Contract, complete the work itself; use non-agency forces already under Contract with the City, require that the underlying property owner be responsible for cleanup, solicit bids for a new contractor to provide the necessary services or issue the Contractor a change order setting forth the additional work that must be undertaken.

If the Contractor encounters a condition not referred to in the Invitation to Bid documents, not caused by the Contractor or any Subcontractor employed on the project and not discoverable by a reasonable pre-bid visual site inspection, and the condition requires compliance with the ordinances, rules, or regulations referred to under this regulation, the Contractor shall immediately notify the City of the condition.

FEDERAL AGENCIES

Department of Agriculture
Forest Service
Soil Conservation Service
Department of the Army Corps of Engineers
Coast Guard
Department of Health and Human Services
Department of the Interior
Bureau of Indian Affairs
Bureau of Land Management
Bureau of Outdoor Recreation
Department of Commerce
Fish and Wildlife Service
Office of Surface Mining
Reclamation and Enforcement
Bureau of Reclamation
Department of Labor
Occupational Safety and Health Administration
Mine Safety and Health Admin
Department of Transportation
Federal Highway Administration
Environmental Protection Agency

STATE AGENCIES

Department of Agriculture
Department of Energy
Department of Environmental Quality
Department of Fish and Wildlife
Department of Forestry
Department of Geology and Minerals
Department of Human Resources
Land Conservation and Development Commission
Division of State Lands
State Soil and Water Conservation Commission
Water Resources Department
Oregon Department of Transportation

LOCAL AGENCIES

City of Springfield
Planning Commission, City of Springfield
Springfield Development and Public Works
Metropolitan Wastewater Management Commission
City of Springfield Urban Renewal Districts - Downtown and Glenwood
Springfield Utility Board
Lane County
Planning Commission, Lane County
Willamalane
Lane Regional Air Protection Authority
Lane Council of Governments
Rainbow Water District
Emerald 'People's Utility District""

A1.8 Award of Contract

ADD THE FOLLOWING PARAGRAPH TO SECTION 103.01 "AWARD OF CONTRACT" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Prior to awarding the contract, the City may, at its sole discretion, require Contractors and/or Subcontractors to demonstrate to the 'City's satisfaction that they have a complete and clear understanding of all requirements of the Prevailing Wage Rate Laws contained in ORS 279C.800 through 279C.870 and possess the expertise necessary for fulfilling their obligations pertaining to these requirements throughout the administration of the Contract. In determining competency, the City may consider Certified Payroll Reports submitted by the Contractor and/or Subcontractor for projects previously performed for the City, copies of Certified Payroll Reports submitted to other public entities, references from other public entities attesting to the 'Contractor's expertise, or an interview with the Contractor regarding their personnel resources and expertise or their ability to obtain the resources and expertise necessary to meet all contractual responsibilities in accordance with ORS 279C.375."

A1.9 Protection of Property

ADD THE FOLLOWING TO THE END OF SECTION 105.11 "PROTECTION OF PROPERTY" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

The Contractor shall provide the Engineer with photographic documentation of pre-construction and post-construction conditions on all private properties affected by the 'Contractor's work. The Contractor shall provide digital photos of each area of work on private properties sufficient to document the conditions prior to the start of the 'Contractor's work and immediately after completion of the 'Contractor's work. All photos shall be submitted to the Engineer by line and street address in an organized manner on compact discs prior to the request that the final payment be made.

The Contractor shall obtain a written release from the property owner on the Homeowner Approval and Release Form confirming that the site restoration work is satisfactory to the property owner. The Contractor shall document that a minimum of two attempts aswas made to secure a release from each property owner by providing a list of property owners by address and indicating the dates and times of each attempt. This list and all signed Homeowner Approval and Release Forms shall be submitted to the Engineer prior to requesting that the final payment be made.

A1.10 Trade Names, Approved Equals or Substitutions

ADD THE FOLLOWING TO THE BEGINNING OF SECTION 107.06 "TRADE NAMES, APPROVED EQUALS OR SUBSTITUTIONS" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Brand Name or Equal Specification means a specification that uses one or more 'manufacturers' names, makes, catalog numbers or similar identifying characteristics to describe the standard of quality, performance, functionality or other characteristics needed to meet the contracting 'agency's requirements. The "Equal" product, component, or process shall be the same or better than that named in function, performance, reliability, quality, and general configuration. Determination of equality in reference to the project design requirements will be made by the Engineer, pursuant to Subsection 106.07. Unless otherwise specified, whenever a 'manufacturer's name brand or model is mentioned, it is to be understood that the phrase "approved equal" is assumed to follow thereafter, whether it does in fact or not. Such specification authorizes Contractors to offer goods or services that are equivalent or superior to those brands named or described in the specification."

A1.11 Insurance

REPLACE SECTION 107.06 "INSURANCE" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"The Contractor shall provide and maintain general liability, auto liability, property, and workers' compensation insurance for the life of this Contract.

General Liability Insurance
The Contractor shall maintain an ISO Commercial General Liability insurance policy (or an equivalent policy approved by Owner) with combined single limits of at least $2,000,000 per occurrence for bodily injury, personal injury, and property damage and an aggregate limit of a least $3,000,000. The policy shall include coverage for contractual liabilities.

Comprehensive Automobile Liability Insurance

The Contractor shall maintain an automobile liability insurance policy with combined single limits of at least $1,000,000 per occurrence for bodily injury, personal injury, and property damage.
Additional Insured Endorsement
The general and automobile insurance policies specified above shall include endorsements naming as an additional insured "the City of Springfield, its agents, employees, and officials all while acting within their official capacity as such."

Property Insurance
Depending on the nature of the construction contemplated under this contract, the Owner may require the Contractor to provide property insurance. Refer to Special Provisions section of this Contract.

Workers' Compensation Insurance
The Contractor, its subcontractors, if any, and all employers working under this agreement are subject employers under the Oregon Workers' Compensation Law and shall comply with ORS 656.017, which requires them to provide workers' compensation coverage for all their subject workers.

The Contractor, is responsible for maintaining workers' compensation insurance for his employees and assuring that his subcontractors, if any, also maintain workers' compensation insurance. Contractor shall defend, indemnify, and hold Owner harmless from any liability for any workers' compensation claims costs, fines, or costs whatsoever arising from Contractor's or his subcontractors' failure to comply with ORS 656.017.

Additional Policies and Special Coverages
Refer to the Special Provisions section of this Contract for additional coverages that may be required.

Certificates of Insurance
Certificates of insurance evidencing all policies required by this Contract shall be delivered to the Owner prior to the commencement of any work. All certificates shall include a 30-day notice of cancellation clause and required additional insured endorsements. The Owner has the right to reject any certificate for unacceptable coverage and/or companies"."

INSERT IN ITS PLACE THE FOLLOWING:

INSURANCE

All insurance shall carry a rating of A- or better with A. M. Best and must be approved by the City as to terms, conditions, and form prior to beginning work. Certificates of insurance evidencing all policies and endorsements required by this Contract shall be delivered to the Owner prior to the commencement of any work. The Owner has the right to reject any certificate or endorsement for unacceptable coverage and/or companies.

Liability and Property Damage

The Contractor shall maintain in force for the duration of the Contract, to include the warranty period, a Commercial General Liability insurance policy written on an occurrence basis with limits not less than $2,000,000 per occurrence and $3,000,000 in the aggregate. The policy will be endorsed with Additional Insured, Per Project Aggregate, Products and Completed Operations, and Primary and Noncontributory endorsements. The City, its employees, officials, and agents will be named as Additional 'Insured's where operations are being conducted related to this Contract on the Commercial General policy as respects to work or services performed under this Contract to the extent that the death or bodily injury to persons or damage to property arises out of the fault of the Contractor or the fault of the 'Contractor's agents, representatives or Subcontractors. The following statement will appear on the face of the certificate; "The City, its

employees, officials and agents are all named as additional insured while acting in their capacity as such." The 'City's Additional Insured status for Products and Completed Operations hazards shall extend for at least one year beyond formal Council acceptance of the project. This insurance shall be primary and shall be paid and applied first in its entirety prior to any application of insurance the CITY may carry on its own. A 30-day notice of cancellation or material change in the coverage clause shall be included.

The Contractor shall maintain in force for the duration of the contract, to include the warranty period, and Automobile Liability insurance policy (owned, non-owned, and hired) with limits not less than $1,000,000 per occurrence. The policy will be endorsed with Additional Insured and Primary and Noncontributory endorsements. The City, its employees, officials, and agents will be named as Additional 'Insured's where operations are being conducted related to this Contract on the Automobile Liability policy as respects to work or services performed under this Contract to the extent that the death or bodily injury to persons or damage to property arises out of the fault of the Contractor or the fault of the 'Contractor's agents, representatives or Subcontractors. The following statement will appear on the face of the certificate; "The City, its employees, officials, and agents are all named as additional insured while acting in their capacity as such."" This insurance shall be primary and shall be paid and applied first in its entirety prior to any application of insurance the CITY may carry on its own. A 30-day notice of cancellation or material change in the coverage clause shall be included.

'Workers' Compensation

The Contractor shall provide and maintain 'Workers' Compensation coverage with limits no less than $500,000 for its employees, officers, agents, or partners, as required by applicable 'Workers' Compensation laws. If the Contractor is exempt from this coverage, a written statement, signed by the Contractor, explaining the reason for the exemption will be provided to the City prior to commencement of any work.

Course of Construction and/or Installation Floater

In the event Course of Construction/Installation Floater insurance is required by the City due to unique project specifications or the Contractor requests advance payment by the City for the purchase of materials pursuant to Section 109.07 of the City of Springfield Standard Construction Specifications, the Contractor shall provide Course of Construction/Installation Floater insurance in an amount equal to the value of the advance payment requested. The policy shall provide coverage for all risks and shall be approved by the City as to terms, conditions, and form covering the replacement cost of the applicable materials prior to the release of payment. The policy shall name the City of Springfield as Loss Payee. The coverage shall be maintained in full force for the duration of this Contract. The City, at its option, may elect to obtain additional coverage.

Asbestos Abatement (only applicable to Asbestos Specific Contracts)

If applicable to this Contract, the Contractor shall maintain in full force a Commercial General Liability policy approved by the City as to terms, conditions, and form that is Asbestos Specific with a minimum limit of $2,000,000 per occurrence and $3,000,000 in the aggregate written on a form that meets the following criteria:

a. A full occurrence form, or
b. A limited occurrence form with at least a three-year (3) tail, or
c. A claims-made form with a three-year (3) tail.

Pollution Liability Coverage (only applicable to Pollution Specific Contracts)

If applicable to this Contract, the Contractor shall maintain in full force a Commercial General Liability policy approved by the City as to terms, conditions, and form that is Pollution Specific with a minimum limit of $2,000,000 per occurrence and $3,000,000 in the aggregate written on a form that meets the following criteria:

a. A full occurrence form, or
b. A limited occurrence form with at least a three-year (3) tail, or
c. A claims-made form with a three-year (3) tail.

Professional Liability Coverage (only applicable to Contracts if specified)

If Professional Liability insurance is required, the City must approve the terms, conditions, and limits prior to commencement of any work.

Additional Policies and Special Coverages

Refer to the Special Provisions section of this Contract for additional coverages that may be required.

Railroad Protective Liability Coverage

If work being performed under this Contract is near railroad tracks or a railroad right of way, and the Railroad requires special insurance (for example Railroad Protective Liability Coverage) Contractor will be responsible for meeting the Railroad insurance requirements before any work commences. Any insurance required to be purchased by the Railroad is in addition to the insurance required by the City.

Subcontractors

The Contractor shall require all Subcontractors to provide and maintain General Liability, Auto Liability, and 'Workers' Compensation insurance and, as applicable, Professional, Asbestos and Pollution Liability with 'coverage's equivalent to those required of the General Contractor in this Contract. The Contractor shall require certificates of insurance from all Subcontractors as evidence of coverage.

Additional Insured Endorsement

All certificates of insurance, with the exception of Professional Liability and Railroad Protective Liability, must include an endorsement that lists the City of Springfield as a named additional insured. The following statement will appear on the face of the certificate; "The City, its employees, officials, and agents are all named as additional insured while acting in their capacity as such

Evidence of Coverage and Notice of Cancellation or Material Change in Coverage

Evidence of the required coverages issued by a company satisfactory of the City shall be provided to the City by way of a certificate of insurance before any work or services commence. A 30-day notice of cancellation or material change in the coverage clause shall be included.

If the approved insurance company does not provide this 30-day notice, it shall be the responsibility of the Contractor to provide written notice to the City within two (2) days of the Contractor becoming aware that their coverage has been canceled or materially changed. The Contractor shall e-mail notification directly to Nathan Bell, Finance Director at nbell@springfield-or.gov, with a copy to Amanda Clinton at aclinton@springfield-or.gov. Regardless of the circumstances causing the 'Contractor's insurance coverage to cease or be modified, it is the 'Contractor's responsibility to notify the City as described above.

Failure to maintain the proper insurance or provide notice of cancellation or material change shall, at the 'City's option, be grounds for immediate termination of this Contract. _____
(Contractor initials)

Equipment and Material

The Contractor shall be responsible for any loss, damage, or destruction of its own property, equipment, and materials used in conjunction with the work"."

A1.12 Contract Time

ADD THE FOLLOWING AT THE END OF THE SECOND PARAGRAPH OF 108.04 "CONTRACT TIME" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"This provision does not apply to the seasonal suspension of work pursuant to Subsection 108.05"."

A1.13 Suspensions of Work

REPLACE SECTION 108.05 "SUSPENSIONS OF WORK" OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Suspension by Owner

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Owner for good and sufficient reason. In the event of such suspension, Owner shall, except in an emergency, and except as hereinafter provided, give Contractor three days' notice, and work shall be resumed within five days after notice has been given by Owner to Contractor to do so. Owner shall allow Contractor an extension of time for completion corresponding to the total period of temporary suspension and shall reimburse him for necessary rental of unused equipment, services of watch persons, and other unavoidable expenses by reason of the suspension without fault of Contractor. , The Contractor, shall not be entitled to damages, intangible or overhead costs, or anticipated profits from such temporary suspension.

Suspension by Engineer

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Engineer pursuant to Subsections 105.01 and 105.02 due to: (l) failure to correct unsafe conditions for working personnel, the general public or Owner's employees, (2) failure to carry out provisions of the Contract Documents, and (3) failure to carry out orders or directions, for such periods as the Engineer may deem necessary due to conditions considered unsuitable for the performance of the work or for any reason deemed to be in the public interest.

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Engineer, for such periods as the Engineer may deem necessary, pursuant to Subsection 105.19 for failure to immediately correct defective and unacceptable work.

Suspension by Contractor

Suspending operations because of seasonal conditions or other unsuitable conditions pursuant to Subsection 108.06 shall require the concurrence of the Engineer.

Responsibility of Contractor

Voluntary or involuntary suspension or slowdown, with or without the approval of the Engineer, and suspension of work ordered by the Engineer will not be grounds for claims or damages, idle equipment or labor, or extra compensation. No allowance or compensation will be made on account of such suspensions of work except as provided hereinbefore and as provided in Subsection 108.06.

At the commencement of and during any suspensions of work, the Contractor shall be responsible for the care of work performed and took every precaution to prevent any damage or deterioration of the work. The Contractor shall be responsible for work, including temporary protection devices to warn, safeguard, protect, guide, and inform traffic during suspension, the same as though its performance had been continuous and without interferences.

The Contractor shall be responsible and bear all costs for providing suitable provisions for traffic control and for maintenance and protection of the work during suspension for the cause. If the Contractor fails to provide for temporary traffic control and to maintain the work, the Engineer may immediately proceed to maintain the work. The cost of such maintenance shall be deducted from payments due or to become due to the Contractor.

Resumption of Work

In all cases of suspension, work will be resumed only upon written order of the Engineer or Owner"."

INSERT IN ITS PLACE THE FOLLOWING:

"Temporary Suspension of Work by Owner/Engineer

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Owner/Engineer for good and sufficient reason. In the event of such suspension, Owner/Engineer shall, except in an emergency, and except as hereinafter provided, give Contractor three days' notice, and work shall be resumed within five days after notice has been given by Owner/Engineer to Contractor to do so. Owner/Engineer shall allow Contractor an extension of time for completion corresponding to the total period of temporary suspension and shall reimburse him for necessary rental of unused equipment, services of watch persons, and other unavoidable expenses by reason of the suspension without fault of Contractor. , The Contractor, shall not be entitled to damages, intangible or overhead costs, or anticipated profits from such temporary suspension. This subsection does not apply to Seasonal Suspension of Work.

Seasonal Suspension of Work by Engineer

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Engineer pursuant to Subsections 105.01 and 105.02 due to seasonal weather conditions determined, at the sole discretion of the Engineer, to be unsuitable for the performance of work. The day count will be suspended during this time. See "Responsibility of Contractor" subsection following for 'Contractor's responsibilities during the suspension period. Work shall not resume without written approval from the Engineer.

Suspension of Work by Engineer for Failure to Comply

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Engineer pursuant to Subsections 105.01 and 105.02 due to: (l) failure to correct unsafe

conditions for working personnel, the general public or Owner's employees, (2) failure to carry out provisions of the Contract Documents, and (3) failure to carry out orders or directions. Work shall be suspended for such periods as the Engineer may deem necessary due to conditions considered unsuitable for the performance of the work or for any reason deemed to be in the public interest.

Suspension of Work by Engineer for Failure to Correct Defective or Unacceptable Work

The Contractor shall immediately suspend work on the project wholly or in part as directed by the Engineer, for such periods as the Engineer may deem necessary, pursuant to Subsection 105.19 for failure to immediately correct defective and unacceptable work.

Suspension of Work by Contractor

Suspending operations because of seasonal conditions or other unsuitable conditions pursuant to Subsection 108.06 shall require the concurrence of the Engineer.

Responsibility of Contractor Under This Subsection

Voluntary or involuntary suspension or slowdown, with or without the approval of the Engineer/Owner, and suspension of work ordered by the Engineer/Owner will not be grounds for claims or damages, idle equipment or labor, or extra compensation. No allowance or compensation will be made on account of such suspensions of work except as provided hereinbefore and as provided in Subsection 108.06.

At the commencement of and during any suspensions of work, the Contractor shall be responsible for the care of work performed and took every precaution to prevent any damage or deterioration of the work. In the case of pipework, the Contractor shall provide necessary provisions to maintain sanitary sewer and stormwater functionality on both the public and private sides. The Contractor shall be responsible for work, including temporary protection devices to warn, safeguard, protect, guide, and inform traffic during suspension, the same as though its performance had been continuous and without interferences. The Contractor shall restore fencing or place temporary fencing, to include temporary security fencing, as needed to provide secure restraint for pets and to protect private property.

The Contractor shall be responsible and bear all costs for providing suitable provisions for traffic control and for maintenance and protection of the work during suspension for cause. If the Contractor fails to provide for temporary traffic control and to maintain the work, the Engineer may immediately proceed to maintain the work. The cost of such maintenance shall be deducted from payments due or to become due to the Contractor.

Resumption of Work

In all cases of suspension, work will be resumed only upon written order of the Engineer or Owner"."

A1.14 Submission of Certified Payroll

REPLACE THE SECOND PARAGRAPH OF SECTION 109.07 OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Once before the first payment and each time the prevailing wage rates change, and once before final payment is made, Contractor shall supply and file with Owner a statement in writing under oath, in the form prescribed by the State Labor Commission and which conforms with ORS Chapter 279, certifying the hourly rate of wages paid each classification of workman not exempt

by statute which is employed upon such project and further certifying that no workman employed has been paid less than minimum prevailing wage rate. Each Subcontractor who performed work on the project during the period covered by the payment may be required to file with the Owner a similar statement which covers its workmen"."

INSERT IN ITS PLACE THE FOLLOWING:

"It shall be the responsibility of the Contractor and any subcontractors to submit certified payroll statements to the City as to the wage rates paid to each worker as follows:

As specified in ORS 279C.845, the Contractor or the 'Contractor's surety and every Subcontractor or the 'Subcontractor's surety shall file certified statements with the public agency in writing, on a form prescribed by the Commissioner of the Bureau of Labor and Industries, certifying the hourly rate of wage paid each worker whom the Contractor or the Subcontractor has employed upon the public works, and further certifying that no worker employed upon the public works has been paid less than the prevailing rate of wage or less than the minimum hourly rate of wage specified in the Contract. The certificate and certified statement shall be verified by the oath of the Contractor or the 'Contractor's surety or Subcontractor or the 'Subcontractor's surety that the Contractor or Subcontractor has read the certified statement and certificate and knows the contents thereof and that the same is true to the Contractor or 'Subcontractor's knowledge. Certified statements (also referred to as certified payroll reports) shall be submitted to the City no later than the 5th business day of the following month for which the certified statement and certificate are being presented, regardless of whether any actual work is performed on the project or not. This information must be submitted to the City and also retained by the Contractor and Subcontractor(s) for three years.

Contracting agencies and general contractors are required to withhold 25% of amounts to Contractors if certified payrolls are not filed by the Contractor as required for work performed on projects subject to the prevailing wage rate law. Failure of Contractors to comply with the certified payroll filing requirements of the law, therefore, will result in a negative fiscal impact to those Contractors of up to 25% of their amount owed.

Each worker employed in the performance of this contract, either by the Contractor or Subcontractor or other person doing or contracting to do or contracting for the whole or any part of the work of the contract, must be paid not less than the specified minimum hourly rate of wage in accordance with ORS 279C.838 and 279C.840"."

A1.15 Progress Payment

REPLACE THE SIXTH PARAGRAPH OF SECTION 109.07 OF THE STANDARD CONSTRUCTION SPECIFICATIONS:

"Progress payment will be made by the Owner on a monthly basis no later than the 20th day of the subsequent month of work performed, except that additional days may be required when payment is accompanied by one or more of the following: an extension of completion time, change order or extra bill. Payment may be made via use of checks or warrants at the option of the Owner for the amount of the approved estimate, less retainage"."

INSERT IN ITS PLACE THE FOLLOWING:

"Progress payment will be made by the City no later than the fourth Friday of the month in the month subsequent to the work being performed, except that additional days may be required when the Contractor fails to submit complete and accurate certified payroll reports which are in compliance with ORS279C.845 when due, or payment is accompanied by one or more of the following: an extension of completion time, change order or bill. If the Contractor fails to submit acceptable certified payroll reports when due or one or more of the previously stated exceptions

apply, the progress payment may be made up to fourteen (14) days after the date the certified payroll or other required information in question is received by the City"."

A1.16 Oregon Products

The Contractor's attention is directed to the provisions of Oregon Law, ORS 279A.120 regarding the preference for products that have been manufactured or produced in Oregon. The Contractor shall use Oregon-produced or manufactured materials with respect to common building materials such as cement, sand, crushed rock, gravel, plaster, etc., and Oregon-manufactured products in all cases where price, fitness, availability, and quality are otherwise equal.

A1.17 Salvage and Debris

Unless otherwise indicated on the drawings or in the specifications, all castings, pipe, equipment, demolition debris, fences, trees, shrubs, spoil, or any other discarded material or equipment shall become the property of the Contractor and shall be salvaged or disposed of in a manner compliant with applicable Federal, State, and local laws and regulations governing the disposal of such waste products. No burning of debris or any other discarded material will be permitted. The Contractor shall perform any demolition for the completion of this project and shall salvage and recycle all construction and demolition debris as is feasible and cost-effective, in accordance with ORS 279C.510.

END OF SECTION

SPECIAL PROVISIONS

SECTION B – Scope of Work

P21168 – 2021 Maintenance Hole Rehabilitation

B1. GENERAL

B 1.1 Project Description

Ten (10) maintenance access holes at various locations along South A/Main St between 2nd and 18th St are proposed to have frame adjustment per Springfield standard 4-1A. Construction activity involves saw-cutting and excavating existing (deteriorated) ACP surrounding the frame, replace frame and lid, and replace surround with reinforced, early-strength concrete to match existing road grade creating a smooth traveled surface. The other main component of this project will be temporary traffic control around the various work zones. South A/Main street is heavily trafficked with multiple bus stops adjacent to proposed work zones and LTD Springfield Station. Using an early strength concrete mix design will benefit temporary traffic control as it is cured and traffic-ready within a few hours after placement. An ODOT miscellaneous permit has been approved for this project, as each work zone is within ODOT right-of-way. Per this permit, lanes shall be opened by 2 pm to avoid commuter traffic.

Work will also include construction activities necessary to retrieve a video inspection camera that is stuck in a sanitary sewer service lateral. This additional work shall be coordinated with City of Springfield Operations Department. Activities include saw cutting, excavation to the pipe large enough to allow for shoring if needed, pipe repair, and asphalt restoration to ODOT requirements.

B1.2 Cooperation with Utilities

Contact SUB Electric Operations at 541-726-2395 at least 72 hours prior to any work or equipment encroaching within 20 feet of electrical lines. At specific locations, power, light, and telephone poles may interfere with the excavation and operation of the Contractor's equipment. Coordinate with SUB Electric Operations 72 hours prior about supporting poles. The cost to support poles will be paid by the City of Springfield and shall not be included in the Contractors cost. Coordinate with City of Springfield Operations 72 hours prior to saw-cutting for retrieval of video inspection camera.

Utility Contact Phone Number(s)

1. SUB Water	541-726-2396
2. SUB Electrical	541-726-2395
3. City of Springfield Operations (Storm / Sewer)	541-726-3761

B1.3 Construction Zone Work Hours

Unless otherwise directed by the Engineer, standard construction work zones with active project operations will be conducted Monday through Friday. Work outside of the hours of 7:00 am to 6:00 pm is not permitted unless the City Engineer gives approval. Per ODOT permit #05M43230, lanes on OR 126 are to be open by 2 pm to avoid commute.

B 1.4 Record Drawings

The Contractor shall maintain at the site one set of specifications, full-size drawings, shop drawings, equipment drawings, and supplemental drawings, which shall be corrected as the work progresses to show all changes made. Drawings shall be available for inspection by the Engineer. Upon completion of the contract and prior to final payment, specifications and drawings shall be turned over to the Engineer.

B 1.5 Competent Person Designation

Contractor shall designate a qualified and experienced "competent person" at the site whose duties and responsibilities shall include enforcement of Oregon - OSHA regulations regarding excavations, the prevention of accidents, and the maintenance and supervision of construction site safety precautions and programs.

B 1.6 Vehicle Parking

The vehicles of the Contractor's and subcontractors' employees shall be parked in accordance with local parking ordinances.

B 1.7 Survey Services

The City of Springfield shall provide survey services as required and as described in Section 105.09 and 105.10 of the City of Springfield Standard Construction Specifications. All requests for survey services shall require a 48 hour minimum notice.

B1.8 Prosecution and Progress - Project Work Schedules

Before starting work, the Contractor shall submit for written approval a proposed construction schedule to the Engineer. If it is desirable to carry on operations in more than one location simultaneously, a schedule shall be submitted for each location two weeks in advance of beginning such operations. In the event that the Contractor's proposed construction schedule does not meet the necessary construction program schedule as determined by the City, the Contractor shall resubmit a schedule that conforms as approved.

The schedule shall show the proposed order of work and indicate the time required for completion of the major items of work. This working schedule shall take into account the passage or handling of traffic with the least practicable interference therewith and the orderly, timely and efficient prosecution of work. It will also be used as an indication of the sequence of the major construction operations and as a check on the progress of work.

The Contractor shall provide weekly progress schedules of expected project activities. The progress schedules shall indicate the Contractor's plan of work in sufficient detail to enable both the Contractor and the Engineer to plan, coordinate, appraise, document, and control their respective Contract responsibilities. The schedule of work, and the work forces and equipment supplied by the Contractor, shall be adjusted adequately to allow for the completion of the contract work by the stated contract completion date. Any work done without notification to the Engineer is subject to rejection.

B1.9 Specifications

SECTION 00210 - MOBILIZATION

Comply with Section 00210 of the Oregon Standard Specifications for Construction.

SECTION 00220 – ACCOMMODATIONS FOR PUBLIC TRAFFIC

Comply with Section 00220 of the 2018 Oregon Standard Specifications for Construction modified as follows:

00220.03 Work Zone Notifications - Add the following to this subsection:

(c) Public Notice - The Contractor will need to provide written communication to all properties adjacent to the work a minimum of 5 Calendar Days before work begins. Any notifications and Communications, the Contractor intends to send to neighboring properties need to be reviewed and approved by the City of Springfield, Contract Analyst, Amanda Clinton (aclinton@springfield-or.gov), five days prior to distribution.

In addition, the Contractor will also need to provide the City of Springfield with all written notifications they intend to utilize for residents and businesses who will have their access interrupted by construction a minimum of 48 hours before flyer disruption for review and approval. Please send to Contract Analyst Amanda Clinton (aclinton@springfield-or.gov). The Contractor will need to coordinate all work activities with Lane Transit District, Springfield School District, Academy of Arts and Academics, Eugene-Springfield Fire, Springfield Police, local sanitation services, and USPS when applicable.

(d) Bus Stops – Notify LTD in writing, with a copy to the Engineer, a minimum of 7 Calendar Days before performing any Work that requires closing or relocating an LTD bus stop.

Jeff Hadden
Operations Supervisor
(541) 913-5684
Jeff.Hadden@ltd.org

SECTION 00221 – COMMON PROVISIONS FOR WORK ZONE TRAFFIC CONTROL

Comply with Section 00221 of the Oregon Standard Specifications for Construction modified as follows:

00221.06 (b) Contractor Modified Traffic Control Plan - Add the following:

The Agency has approved the Traffic Control Plan in the plan set for use by the Contractor. A proposed Contractor Modified Traffic Control Plan shall incorporate all appropriate standards from the latest editions of Manual of Uniform Traffic Control Devices (MUTCD) and ODOT's Oregon Temporary Traffic Control Handbook. The City's Engineer shall approve the TCP prior to implementation. Allow five workdays for the City's Engineer to review and return the drawings. Drawings that are not approved shall be corrected and resubmitted for review. If, as determined by the Engineer, the TCP does not meet these requirements, the TCP will be rejected, and no adjustment of Contract Time will be allowed. Allow five workdays for the Engineer to review drawings each time they are resubmitted.

00221.88 Measurement Method "B" Lump Sum Basis

Measurement for Temporary Work Zone Traffic Control – Complete, Bid Item 2 will be paid on a Lump Sum (LS) basis.

00221.98 Payment (b) Method "B" Lump Sum Basis

Temporary Work Zone Traffic Control - Complete, Bid Item 2, will be paid on a Lump Sum (LS) basis.

SECTION 00280 - EROSION AND SEDIMENT CONTROL

Comply with Section 00280 of the Oregon Standard Specifications for Construction modified as follows:

00280.04 Erosion and Sediment Control Plan on Agency Controlled Lands - Delete the following:

The fifth paragraph begins with "Ensure the Contractor's construction ESCP and implementation schedules are prepared by…."

00280.46(d) Inlet Protection - Add the following:

Inlet Protection shall be constructed as shown on Plan Sheet F02.

00280.90(a) Lump Sum Basis - Add the following:

Inlet protection devices and installation shall be included in the Lump Sum for Bid Item 3 Erosion Control.

SECTION 00445 – SANITARY, STORM, CULVERT, SIPHON, AND IRRIGATION PIPE

Comply with Section 00445 of the 2021 Oregon Standard Specifications for Construction modified as follows:

00445.00 Scope – Add the following to the end of the section:

This work consists of construction activites necessary to retrieve a video inspection camera belonging to City of Springfield that is stuck in a sanitary service lateral. Work includes saw cutting, excavation to the pipe, spot repair to the section of pipe that needs to be removed and replaced to retrieve the camera, backfilling, and asphalt restoration to ODOT requirements.

Asphalt removal limits shall be determined by the Engineer prior to removal. Saw-cutting, excavation, disposal of debris, backfill, pipe repair, and asphalt restoration are incidental to Bid Item 5, Minor Repair of Sewer Lateral.

00445.80 Measurement – Delete this section entirely and replace with the following:

Pipes and related Work performed under this Section will be measured according to the following:

(k) Minor Repair of Sewer Lateral

Measurement for the additional Work necessary to retrieve the video inspection camera will be paid on a Lump Sum (LS) basis under Bid Item 5, Minor Repair of Sewer Lateral. All labor and materials necessary to complete this Work are incidental to this Bid Item.

00445.91 Payment – Add the following Pay Item:

(m) Minor Repair of Sewer Lateral ……..Lump Sum(LS)

SECTION 00490 – WORK ON EXISTING SEWERS AND STRUCTURES

Comply with Section 00490 of the Oregon Standard Specifications for Construction modified as follows:

00490.46 Adjusting Manholes - Add the following to this section:

(f) Adjusting Manholes for Pavement – Bid Item 4, Minor Adjustment of Manholes - surround area of asphalt shall be cut in a circle as shown in ODOT Standard Drawing RD360 unless there is an existing diamond cut. If the edges of the diamond cut are in good condition after excavation, concrete may be placed in the existing diamond cut. If the edges or sides of the diamond cut are irregular, a new diamond shall be cut in the pavement as directed by the Engineer.

Manholes in Portland cement concrete pavement shall receive new diamond cuts. Place 12-inch long #4 reinforcing bar dowels 6 inches into the existing concrete pavement at 24 inches on center in the diamond cut. New rings and lids will be graded, and reinforced concrete surrounds will be placed as shown on ODOT Standard Drawing RD360, except for the specified concrete. Concrete for adjusting manholes shall be 4000-psi (minimum) rapid set concrete or other mix design approved by the Engineer. The Contractor shall furnish new frames and lids. The concrete curb and gutter adjacent to manhole #50300 shown on the plan set is incidental to this bid item.

Section 2:

Project Plan Set & Standard Drawings

2021 Maintenance Hole Rehabilitation

P21168

CITY OF SPRINGFIELD
DEVELOPMENT & PUBLIC WORKS

Project P21168
2021 MAINTENANCE HOLE REHBAILITATION

10 MAINTENANCE HOLE ADJUSTMENTS

PROJECT LOCATION



VICINITY MAP



SHEET INDEX

SHEET NO.	DESCRIPTION
A01-A04	TITLE, LEGEND, ABBR., LAYOUT, GEN NOTES
C01-C06	GENERAL CONSTRUCTION DETAILS
E01-E10	TEMPORARY TRAFFIC CONTROL DETAILS
F01	EROSION AND SEDIMENT CONTROL NOTES

STANDARD DRAWINGS

DWG NO.	DESCRIPTION
RD360	MANHOLE FRAME ADJUSTMENT
RD700	CURBS
RD1010	INLET PROTECTION
TM843	MULTI-LANE SIGNALIZED INTERSECTION DETAILS

No.	Revision/Issue	Date

811
Know what's below.
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

TITLE SHEET

NO SCALE	SHEET A01 OF 19
DRAWN BY: B. JABUSCH	
DESIGNED BY: J. PASHCALL	
CHECKED BY: K. KRUEGER	

October 5, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\A SHEETS.dwg

ABBREVIATIONS

AB	AGGREGATE BASE	DI	DUCTILE IRON	INV	INVERT	RCP	REINFORCED CONCRETE PIPE
ABAN	ABANDON(ED)	DIA	DIAMETER	LAT	LATERAL	RD	ROAD
ACP	ASPHALTIC CONCRETE PAVEMENT	DR	DRIVE	LDAP	LAND DRAINAGE & ALTERATION PERMIT	REINF	REINFORCE(D)(ING)(MENT)
AD	AREA DRAIN	DWG	DRAWING	LF	LINEAL FEET	REQ'D	REQUIRED
ADA	AMERICANS WITH DISABILITIES ACT	DWY	DRIVEWAY	LP	LOW POINT	RESTR	RESTRAINED
ADJ	ADJUST	EA	EACH	LPR	LOW PRESSURE	ROW	RIGHT-OF-WAY
AL	ALUMINUM	EC	END CURVE	LT	LEFT	RT	RIGHT
APPROX	APPROXIMATELY	EDOP	EDGE OF PAVEMENT	MATL(S)	MATERIALS	S/W	SIDEWALK
APPVD	APPROVED	EG	EXISTING GRADE	MAX	MAXIMUM	S	SLOPE
ARV	AIR RELEASE VALVE	EL	ELEVATION	MFR(S)	MANUFACTURER(S)	SCHED	SCHEDULE
ASSY	ASSEMBLY	ELEC	ELECTRIC, ELECTRICAL	MH(S)	MANHOLE(S)	SD	STORM DRAIN
ATB	ASPHALT TREATED BASE	EOP	END OF PROJECT	MHSD	MANHOLE STORM DRAIN	SDMH	STORM DRAIN MANHOLE
APPROX	APPROXIMATELY	EP	EDGE OF PAVEMENT	MHSS	MANHOLE SANITARY SEWER	SERV	SERVICE
APVD	APPROVED	EQ	EQUAL	MIN	MINIMUM	SHT(S)	SHEET(S)
BC	BEGIN CURVE	EQUIP	EQUIPMENT	MISC	MISCELLANEOUS	SL	SLOPE
BLDG	BUILDING	ESMT	EASEMENT	MJ	MECHANICAL JOINT	SPECS	SPECIFICATIONS
BM	BENCHMARK	EVC	END VERTICAL CURVE	MON	MONUMENT	SQ	SQUARE
BO	BLOWOFF	EX	EXISTING	MUTCD	MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES	SQFT	SQUARE FOOT, SQUARE FT
BOP	BEGINNING OF PROJECT	EXCAV	EXCAVATION	NO	NUMBER	SS	SANITARY SEWER
BTM	BOTTOM	FAB	FABRICATE	NTS	NOT TO SCALE	SST	STAINLESS STEEL
BVC	BEGIN VERTICAL CURVE	FD	FLOOR DRAIN	OC	ON CENTER	ST	STREET
C/G	CURB & GUTTER	FH	FIRE HYDRANT	OD	OUTSIDE DIAMETER	STA	STATION
CB	CATCH BASIN	FI	FIELD INLET	ODOT	OREGON DEPARTMENT OF TRANSPORTATION	STD	STANDARD
CCP	CONCRETE CULVERT PIPE	FIN GR	FINISHED GRADE	OVHD	OVERHEAD UTILITY	STL	STEEL
CFFL	CURB FACE FLOW LINE	FL	FLOW LINE	P	POWER	SUB	SPRINGFIELD UTILITY BOARD
CI	CURB INLET	FLG	FLOW LINE OF GUTTER	P/L	PROPERTY LINE	SW	SIDEWALK
CIP	CAST IN PLACE	FM	FORCE MAIN	PC	POINT OF CURVATURE	TB	THRUST BLOCK
CL	CENTER LINE	FT	FOOT, FEET	PCCP	PORTLAND CEMENT CONCRETE	TCP	TRAFFIC CONTROL PLAN
CLS	CLASS	FTG	FITTING	PERM	PERMANENT	TEL	TELEPHONE
CO	CLEANOUT	G	GAS	PI	POINT OF INTERSECTION	TEMP	TEMPORARY
CONC	CONCRETE	GB	GRADE BREAK	POLY	POLYETHYLENE	TFC	TOP FACE OF CURB
CONST	CONSTRUCT, CONSTRUCTION	GALV	GALVANIZED	PRC	POINT OF REVERSE CURVATURE	THK	THICK
CONT	CONTINUOUS	GR	GRADE	PRESS	PRESSURE	THRU	THROUGH
COP	COPPER	GRVL	GRAVEL	PROP	PROPOSED	TV	TELEVISION
COR	CORNER	GV	GATE VALVE	PS	PUMP STATION	TYP	TYPICAL
COS	CITY OF SPRINGFIELD	HMAC	HOT MIX ASPHALT CONCRETE	PT	POINT OF TANGENCY	VERT	VERTICAL(LY)
CPLG	COUPLING	HORIZ	HORIZONTAL	PUGD	UNDERGROUND POWER	W	WATER
CR	CRUSHED ROCK	HP	HIGH POINT	PV	PLUG VALVE	WM	WATER METER
CTB	CONCRETE TREATED BASE	HPR	HIGH PRESSURE	PVC	POLYVINYL CHLORIDE	WWMH	WASTEWATER MANHOLE
CV	CHECK VALVE	HWY	HIGHWAY	PVI	POINT OF VERTICAL INTERSECTION	VC	VERTICAL CURVE
CY	CUBIC YARD	ID	INSIDE DIAMETER	PVMT	PAVEMENT		
D	DRAIN	IE	INVERT ELEVATION	R	RATE		
DET	DETAIL	IN	INCH, INCHES	RAD	RADIUS		

LEGEND

CURB INLET

PROJECT MAINTENANCE HOLE

NON–PROJECT MAINTENANCE HOLE

CATCH BASIN

No.	Revision/Issue	Date

811

Know what's **below.**
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

ABBREVIATIONS, LEGEND

NO SCALE

DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET **A02** OF **19**

October 5, 2021

Project P21168
2021 MAINTENANCE HOLE
REHABILITATION

City of Springfield
PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

IDENTIFICATION TABLE
NTS
SHEET A03 OF 19
DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER
October 5, 2021

811
Know what's below.
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.



Maintenance Hole Identification

List	I.D. Number	Page Number	Nearest Intersection	Service Type	Proposed Sawcut
1	50050	C01	South A St & South 2nd St	STORM	DIAMOND
2	22596	C01	East Pioneer Parkway & South A St	SANITARY	DIAMOND
3	22656	C02	South 5th St & South A St	SANITARY	DIAMOND
4	22389	C02	South 6th St & South A St	SANITARY	DIAMOND
5	50294	C03	South 8th St & South A St	STORM	CIRCULAR
6	22404	C03	South 9th St & South A St	SANITARY	DIAMOND
7	22401	C04	South 10th St & South A St	SANITARY	DIAMOND
8	50300	C04	Midblock South A St between South 10th & South 11th	STORM	DIAMOND
9	50725	C05	17th St & Main St	STORM	DIAMOND
10	50724	C05	Midblock Main St between 17th St and 18th St	STORM	DIAMOND

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 - 2021 Manhole Rehab\02-Design\DRAWING\100-DWG\A_SHEETS.dwg

GENERAL CONSTRUCTION NOTES:

A. ALL MATERIALS AND WORKMANSHIP WITHIN THE PUBLIC RIGHT-OF-WAY OR PUBLIC EASEMENTS SHALL MEET STANDARD SPECIFICATIONS FOR CONSTRUCTION, AS SPECIFIED IN SECTION 'A' OF THE SPECIAL PROVISIONS IN ADDITION TO ALL OTHER SPECIFICATIONS REFERENCED OR INCLUDED, AND IN ADDITION TO THESE PLANS.

B. OREGON LAW REQUIRES THE CONTRACTOR TO FOLLOW RULES ADOPTED BY THE OREGON UTILITY NOTIFICATION CENTER. THOSE RULES ARE SET FORTH IN OAR 952-001-0010 THROUGH OAR 952-001-0100. THE CONTRACTOR MAY OBTAIN COPIES OF THE RULES BY CALLING THE CENTER. NOTE: THE TELEPHONE NUMBER FOR THE OREGON UTILITY NOTIFICATION CENTER IS (800) 332-2344 OR 811.

C. LOCATION AND/OR DEPTH OF EXISTING UTILITIES SHOWN ON PLANS ARE APPROXIMATE. ALL UTILITIES MAY NOT APPEAR ON PLANS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONTACT ALL UTILITY COMPANIES FOR UNDERGROUND LOCATION OF FACILITIES AT LEAST 48 HOURS PRIOR TO EXCAVATING OR "POTHOLING". THE "ONE-CALL" NUMBER (800) 332-2344 OR 811.

D. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION WITH UTILITY COMPANIES ON THE TIMING OF INSTALLATION OF THEIR FACILITIES.

E. ALL SANITARY AND STORM SEWER CONNECTIONS TO EXISTING CITY OWNED FACILITIES (PIPE, CATCH BASINS, MANHOLES, ETC.) SHALL BE INSPECTED BY THE CONTRACTOR AND THE CITY'S DEVELOPMENT AND PUBLIC WORKS OPERATIONS DEPARTMENT PRIOR TO HOOK UP. CONTACT OPERATIONS AT (541-726-3761) OR CITY CONSTRUCTION INSPECTOR NO LESS THAN 48 HOURS PRIOR TO DESIRED INSPECTION TIME.

F. WHERE CONNECTING TO AN EXISTING PIPE. THE CONTRACTOR SHALL EXPOSE THE END OF THE EXISTING PIPE AND ALLOW THE ENGINEER TO VERIFY EXACT LOCATION AND ELEVATION, CONDITION, AND POSITIVE FLOW BEFORE LAYING ANY NEW PIPE ON THAT SYSTEM.

G. THE SEWER GRADE SHALL BE PER THE PLANS SPECIFICATIONS AND WITH THE MINIMUM COVER AS SHOWN ON THE PLANS

H. THE CONTRACTOR SHALL INTERNALLY TELEVISION INSPECT THE SEWER AFTER ALL BACKFILL AND BEFORE THE FINAL LIFT OF ASPHALT PAVING. THE CONTRACTOR SHALL SUPPLY THE CITY WITH A WRITTEN T.V. REPORT AND VIDEO TAPE OR DVD FOR CITY APPROVAL AT LEAST 2 WORKING DAYS BEFORE THE PRE-PAVING MEETING.

I. CONTRACTOR TO SCHEDULE A PRE-PAVING CONFERENCE 24 HOURS PRIOR TO PAVING. CONTACT THE CONSTRUCTION INSPECTOR.

J. ALL JOINTS BETWEEN EXISTING and NEW ASPHALT PAVING SHALL BE SEALED WITH POLYMERIZED ASPHALT AND SANDED TO PREVENT PICK UP.

K. COMPACTION REQUIREMENTS:

LAYER	RATE	TEST
SUBGRADE	95%	T99
CRUSHED ROCK	95%	T180
ASPHALT (LOCAL)	90%	RICE
ASPHALT (COLLECTOR/ARTERIAL)	92%	RICE

L. CONCRETE COMPRESSIVE STRENGTH REQUIREMENTS (PSI):

CONCRETE USE	FIELD	LABORATORY
SIDEWALK/ADA RAMPS	3000	3450
CURBS/GUTTERS	3500	4025
DRIVEWAYS	3500	4025
PAVEMENT	4000	4600

M. THIS PROJECT SHALL COMPLY WITH THE AMERICAN DISABILITIES ACT REQUIREMENTS SUCH AS INCORPORATION OF DESIGN CRITERIA FOR RAMPS, MAXIMUM PROFILE AND CROSS SECTION SLOPES FOR SIDEWALKS, UPGRADING EXISTING FACILITIES WHERE MAJOR CONSTRUCTION IS OCCURRING, AND BUILDING WARNING FOR OBJECTS IN SIDEWALK SUCH AS CURBING OR LANDSCAPING AROUND MAILBOXES.

N. CONTRACTOR IS RESPONSIBLE TO OBTAIN APPLICABLE PERMITS FROM OTHER AGENCIES WITH JURISDICTIONS SUCH AS LANE COUNTY, OREGON DEPARTMENT OF TRANSPORTATION, OREGON DIVISION OF STATE LANDS, THE ARMY CORPS OF ENGINEERS, OR THE DEPARTMENT OF ENVIRONMENTAL QUALITY.

O. ALL IMPROVEMENTS THAT WILL BE PRIVATELY OWNED AND MAINTAINED WILL BE BOUND BY THE CURRENT REQUIREMENTS OF THE STATE OF OREGON STRUCTURAL SPECIALTY CODE, PLUMBING SPECIALTY CODE, AND/OR CITY OF SPRINGFIELD BUILDING DIVISION REQUIREMENTS. CONTRACTOR IS RESPONSIBLE TO OBTAIN APPLICABLE PERMITS FROM OTHER CITY DEPARTMENTS PRIOR TO DOING PRIVATE WORK.

P. EROSION CONTROL MEASURES SHALL BE IN PLACE PRIOR TO THE START OF CONSTRUCTION. SEE EROSION CONTROL PLAN.

Q. STREET TREES: ONLY STREET TREES WITH A MINIMUM TRUNK CALIPER OF 2 IN. MEASURED 6 IN. ABOVE THE ROOT STEM SHALL BE SELECTED FOR PLANTING.

R. A PRE-CONSTRUCTION CONFERENCE IS REQUIRED BEFORE START OF CONSTRUCTION. ALL UTILITIES, CONTRACTORS and CITY REPRESENTATIVES SHALL HAVE RECEIVED THE FINAL APPROVED PLANS AT LEAST 5 WORKING DAYS PRIOR TO THE PRE CONSTRUCTION CONFERENCE.

S. THE ENGINEER AND/OR CITY HAVE THE RIGHT TO REQUIRE ADDITIONAL WORK NOT SHOWN HEREIN BUT NECESSARY FOR THE SUCCESSFUL COMPLETION OF THE PROJECT. STD.SPEC. 104.08.

T. REQUESTS BY THE CONTRACTOR FOR CHANGES SHALL BE APPROVED BY THE ENGINEER AND THE CITY IN WRITING PRIOR TO IMPLEMENTATION.

U. CONTRACTOR SHALL BE AWARE IF PAVING IS NOT SCHEDULED OR DOES NOT OCCUR PRIOR TO OCTOBER 15TH, WET WEATHER PROVISIONS INCLUDING ADDITIONAL ROCK SUBSTRUCTURE AND GEOTEXTILE FABRIC SHALL USED. REFER TO STANDARD SPECIFICATION SECTION 301.1.01 AND THE TYPICAL CROSS SECTIONS CONTAINED HEREIN FOR DETAILS.

V. THE CONTRACTOR SHALL VERIFY EACH EXISTING SANITARY AND STORM CONNECTION.

No.	Revision Details	Date

811
Know what's below.
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET: www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN. CONSTRUCTION NOTES

NO SCALE

DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER

SHEET A04 OF 19

October 5, 2021



CONSTRUCTION NOTES:

1. DIAMOND SAWCUT AROUND M.H.
2. ADJUST M.H. AND RESTORE CONCRETE APRON TO MATCH EXISTING GRADE – SEE ODOT STANDARD DRAWING RD360
4. CATCH BASIN PROTECTION – TYPE 3 PREFABRICATED FILTER INSERT – SEE STANDARD DRAWING RD1010

		Date

811
Know what's **below.**
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN CONSTRUCTION DETAILS

SCALE: 1" = 40'

DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET C01 OF 19

October 5, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\C SHEETS.dwg



CONSTRUCTION NOTES:

1. DIAMOND SAWCUT AROUND M.H.
2. ADJUST M.H. AND RESTORE CONCRETE APRON TO MATCH EXISTING GRADE – SEE ODOT STANDARD DRAWING RD360
4. CATCH BASIN PROTECTION – TYPE 3 PREFABRICATED FILTER INSERT – SEE STANDARD DRAWING RD1010
5. CURB INLET PROTECTION – TYPE 10 SEDIMENT DAM – SEE STANDARD DRAWING RD1010

No	Description	Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield
PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN CONSTRUCTION DETAILS

SCALE: 1" = 40'

DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER

SHEET C02 OF 19

October 5, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\C SHEETS.dwg





CONSTRUCTION NOTES:

1. SAWCUT AROUND M.H.
2. ADJUST M.H. AND RESTORE CONCRETE APRON TO MATCH EXISTING GRADE – SEE ODOT STANDARD DRAWING RD360
4. CATCH BASIN PROTECTION – TYPE 3 PREFABRICATED FILTER INSERT – SEE STANDARD DRAWING RD1010

		Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN CONSTRUCTION DETAILS

SCALE: 1" = 40'

DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET C03 OF 19

October 5, 2021





CONSTRUCTION NOTES:

1. DIAMOND SAWCUT AROUND M.H.
2. ADJUST M.H. AND RESTORE CONCRETE APRON TO MATCH EXISTING GRADE – SEE ODOT STANDARD DRAWING RD360
3. SAW CUT CURB AND GUTTER ADJACENT TO M.H.
4. CATCH BASIN PROTECTION – TYPE 3 PREFABRICATED FILTER INSERT – SEE STANDARD DRAWING RD1010
6. RESTORE CURB AND GUTTER ADJACENT TO M.H. – SEE ODOT STANDARD DRAWING RD700

811
Know what's **below.**
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN CONSTRUCTION DETAILS

SCALE: 1" = 40'

DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET C04 OF 19

October 5, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\C SHEETS.dwg



CONSTRUCTION NOTES:

1. DIAMOND SAWCUT AROUND M.H.
2. ADJUST M.H. AND RESTORE CONCRETE APRON TO MATCH EXISTING GRADE – SEE ODOT STANDARD DRAWING RD360
4. CATCH BASIN PROTECTION – TYPE 3 PREFABRICATED FILTER INSERT – SEE STANDARD DRAWING RD1010

	Revision / Issue	Date

811
Know what's **below.**
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN CONSTRUCTION DETAILS

SCALE: 1" = 40'

DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET **C05** OF **19**

October 5, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\C SHEETS.dwg



CONSTRUCTION NOTES:

1. STREET CUT – REFER TO ODOT STD DWG RD302
2. EXCAVATE TO LATERAL AND RETRIEVE INSPECTION CAMERA – BID ITEM 5
3. RESTORE SEWER LATERAL PIPE AND ACP TO MATCH EXISTING GRADES

Push Camera Retrieval (S A & 5th) updated



No.	Revision/Issue	Date

811
Know what's **below.**
Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

GEN CONSTRUCTION DETAILS

DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET **C06** OF **19**

November 15, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\Eng Tech Working Folder\C SHEETS.dwg



TRAFFIC CONTROL NOTES:

- SEE STD DWG TM844 'SIDEWALK CLOSURE, CORNER' FOR TEMPORARY PEDESTRIAN ACCESS ROUTING
- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 50050

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/Issue	Date

811 Know what's **below.** **Call** before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

SPRINGFIELD OREGON

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET: www.springfield-or.gov

REGISTERED PROFESSIONAL ENGINEER
19697PE
OREGON
MAY 5, 1998
BRIAN F. BARNETT

9-29-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	SHEET E01 OF 19
DRAWN BY: B. JABUSCH	
DESIGNED BY: J. PASHCALL	
CHECKED BY: K. KRUEGER	

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- SEE STD DWG TM844 'SIDEWALK CLOSURE, CORNER' FOR TEMPORARY PEDESTRIAN ACCESS ROUTING
- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 22596

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/issue	Date

811 Know what's **below.** **Call** before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE: (541) 726-3753 FAX: (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER 19697PE OREGON MAY 5, 1998 BRIAN E. BARNETT

9-27-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	
DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET E02 OF 19

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS
- USE ODOT STD DWG TM843 MULTI–LANE SIGNALIZED INTERSECTION DETAILS FOR REFERENCE

SPEED LIMIT 35

MH ID#: 22656

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/Issue	Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE: (541) 726-3753 FAX: (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER 19697PE OREGON MAY 5, 1998 BRIAN F. BARNETT

9-29-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	SHEET E03 OF 19
DRAWN BY: B. JABUSCH	
DESIGNED BY: J. PASHCALL	
CHECKED BY: K. KRUEGER	

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- SEE STD DWG TM844 'SIDEWALK CLOSURE, MIDBLOCK' FOR TEMPORARY PEDESTRIAN ACCESS ROUTING
- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 22389

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/Issue	Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE: 541-726-3753 FAX: 541-726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER 19697PE OREGON MAY 5, 1998 BRIAN F. BARNETT

9-27-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'

DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER

SHEET E04 OF 19

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 50294

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg

No.	Revision/Issue	Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
19697PE
OREGON
MAY 5, 1998
BRIAN F. BARNETT
09-29-21
EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	SHEET E05 OF 19
DRAWN BY: B. JABUSCH	
DESIGNED BY: J. PASHCALL	
CHECKED BY: K. KRUEGER	

September 27, 2021



TRAFFIC CONTROL NOTES:

- SEE STD DWG TM844 'SIDEWALK CLOSURE, MIDBLOCK' FOR TEMPORARY PEDESTRIAN ACCESS ROUTING
- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 22404

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/Issue	Date

811 Know what's **below.** **Call** before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET SPRINGFIELD, OR 97477
PHONE: (541) 726-3753 FAX: (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
19697PE
OREGON
MAY 5, 1998
BRIAN F. BARNETT
9-29-21
EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	SHEET E06 OF 19
DRAWN BY: B. JABUSCH	
DESIGNED BY: J. PASHCALL	
CHECKED BY: K. KRUEGER	

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- SEE STD DWG TM844 'SIDEWALK CLOSURE, MIDBLOCK' FOR TEMPORARY PEDESTRIAN ACCESS ROUTING
- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 22401

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/Issue	Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET · SPRINGFIELD, OR 97477
PHONE (541) 726-3753 · FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
19697PE
OREGON
MAY 5, 1998
BRIAN F. BARNETT
9-9-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'

DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER

SHEET E07 OF 19

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- SEE STD DWG TM844 'SIDEWALK CLOSURE, CORNER' FOR TEMPORARY PEDESTRIAN ACCESS ROUTING
- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 35

MH ID#: 50300

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/Issue	Date

811 Know what's **below.** **Call** before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
19697PE
OREGON
MAY 5, 1998
BRIAN F. BARNETT
9-29-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'

DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER

SHEET E08 OF 19

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEET8.dwg



TRAFFIC CONTROL NOTES:

- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS

SPEED LIMIT 30

MH ID#: 50725 & 50724

0 25 50 100 200

N

LEGEND:

- TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT
- TRAFFIC CONES
- BUS STOP
- WORK ZONE

No.	Revision/issue	Date

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3568
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER 19697PE OREGON MAY 5, 1998 BRIAN F. BARNETT

9-27-21

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	
DRAWN BY:	B. JABUSCH
DESIGNED BY:	J. PASHCALL
CHECKED BY:	K. KRUEGER

SHEET E09 OF 19

September 27, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg



TRAFFIC CONTROL NOTES:

- TCP EQUIPMENT SHALL BE IN ACCORDANCE WITH OTTCH SECTION 4.1 SIGNS AND 4.2 BARRICADES, CONES, DRUMS, AND TUBULAR MARKERS
- USE ODOT STD DWG TM843 MULTI–LANE SIGNALIZED INTERSECTION DETAILS FOR REFERENCE

SPEED LIMIT 35

VIDEO CAMERA RETRIEVAL TCP

0 25 50 100 200

N

LEGEND:

TEMPORARY TRAFFIC CONTROL SIGN AND SUPPORT

TRAFFIC CONES

BUS STOP

WORK ZONE

No.	Revision/Issue	Date

811 Know what's **below.** **Call** before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield

PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

SPRINGFIELD OREGON

REGISTERED PROFESSIONAL ENGINEER
19697PE
OREGON
MAY 5, 1998
BRIAN F. BARNETT

EXP DATE: 12-31-2021

TITLE SHEET

1"=100'	SHEET E10 OF 19
DRAWN BY: B. JABUSCH	
DESIGNED BY: J. PASHCALL	
CHECKED BY: K. KRUEGER	

October 29, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100\DWG\E SHEETS.dwg

NOTES:

1. PLACE INLET/CATCH BASIN PROTECTION AT EXISTING FIXTURES (SEE DETAILS ON SHEET F02.)

GENERAL NOTES:

1. CONCRETE WASHOUTS ARE NOT PROVIDED ON THIS PROJECT
2. SAW CUTTING SLURRY IS TO BE VACUMED
3. ANY AREAS OF EXPOSED SOILS. INCLUDING ROADWAY EMBANKMENTS, THAT WILL NOT BE DISTURBED FOR TWO DAYS DURING THE WET SEASON (OCTOBER 1 TO APRIL 30) OR SEVEN DAYS DURING THE DRY SEASON (MAY 1 TO SEPTEMBER 30) SHALL BE IMMEDIATELY STABILIZED WITH AN APPROVED ESC METHOD (SEEDING & MULCHING WITH STRAW, BARK, COMPOST, OR PLASTIC COVERING, ETC.).



1 / F01 CONCRETE WASH AREA DETAIL

NOT TO SCALE

EROSION CONTROL STANDARD NOTES:

A. Approval of this Erosion and Sedimentation Control Plan (ESCP) does not constitute an approval of permanent road or drainage design (e.g., size and location of roads, pipes, restrictors, channels, retention facilities, utilities, etc.).

B. Approval of this ESCP does not relieve the permit holder and or the contractor from all other permitting requirements. Prior to beginning construction activities, all other necessary approvals shall be obtained.

C. An inspection of the erosion control measures by City LDAP staff is required prior to any ground disturbance on the site.

D. The erosion and sediment control measures shown on the plan are the minimum requirements for anticipated site conditions. During the construction period, these measures shall be upgraded as needed for unexpected storm events and to ensure that sediment and sediment-laden water does not leave the site.

E. The implementation of the ESCP and the construction, maintenance, replacement, and upgrading of the erosion and sediment control measures is the responsibility of the permit holder and or the contractor until all construction is completed and accepted by the City and vegetation/landscaping is established per the required warranty period.

F. In the event the ESC facilities identified on the ESCP are not functioning properly, the contractor is responsible for immediately implementing changes to the ESCP as directed by the ESCP engineer or his inspector. The engineer, his inspector or the City may stop all construction activity on site until the erosion problem is corrected and all ESC facilities are functioning properly. If the contractor does not immediately implement changes to the ESCP identified by the ESCP engineer or his inspector, the City may implement the necessary changes and require payment from the contractor prior to project acceptance by the City.

G. The boundaries of the clearing limits shown on this plan shall be clearly flagged in the field by the engineer prior to construction. During the construction period, no disturbance beyond the flagged clearing limits shall be permitted. The flagging shall be maintained by the permit holder and or the contractor for the duration of construction.

H. The erosion and sediment control measures on active sites shall be inspected and maintained daily and within the 24 hours after any storm event of greater than 0.5 inches of rain per 24 hour period. Measures shall be inspected by the permit holder and or the contractor after each rainfall and at least daily during prolonged rainfall. Any required repairs or adjustments shall be made immediately. The erosion and sediment control measures on inactive sites shall be inspected a minimum of once every two (2) weeks or within 48 hours following a storm event. Written records shall be kept of weekly reviews of the ESC facilities during the wet season (October 1 to April 30) and of monthly reviews during the dry season (May1 to September 30).

I. All erosion and sediment control measures shall be protected from damage at all times. Control measures shall remain in place until permanent or temporary re-vegetation has been stabilized. Any measure that is damaged or destroyed shall be repaired or replaced immediately.

J. Any areas of exposed soils, including roadway embankments, that will not be disturbed for two days during the wet season (October 1 to April 30) or seven days during the dry season (May 1 to September 30) shall be immediately stabilized with an approved ESC method (seeding & mulching with straw, bark, compost, or plastic covering, etc.).

K. A supply of materials necessary to meet compliance and implement the LDAP or other best management erosion practices under all weather conditions shall be maintained at all times on the construction site.

L. No hazardous substances, such as paints, thinners, fuels and other chemicals shall be released onto the site, adjacent properties, or into water features, the City's storm water system, or related natural resources.

M. Street sweeping shall be performed as needed or when directed by the City inspector to ensure public right-of-ways are kept clean and free of debris. Street flushing is prohibited.

N. When trucking saturated soils from the site, either water-tight trucks shall be used or loads shall be drained on site until dripping has been reduced to no more than one gallon per hour. Sediment laden water will not be allowed to enter the storm water system

O. Extracted ground water from excavated trenches shall be disposed of in a suitable manner without damage to adjacent property, public storm water system, water features, and related natural resources. Approval of a dewatering system does not guarantee that it will meet compliance or be acceptable for use in all situations. Modifications to the dewatering system will be required if compliance can not be met. At no time will sediment laden water be allowed to leave the construction site.

P. At no time shall more than one foot of sediment be allowed to accumulate within a catch basin. All catch basins and conveyance lines shall be cleaned prior to paving. The cleaning operation shall not flush sediment laden water into the downstream system.

Q. Any required stabilized construction entrances and roads shall be installed at the beginning of construction and maintained for the duration of the project. Additional measures, such as wash pads, may be required to ensure that all paved areas are kept clean for the duration of the project.

R. Any permanent flow control facility used as a temporary settling basin shall be modified with the necessary erosion control measures and shall provide adequate storage capacity.

S. Where straw mulch for temporary erosion control is required, it shall be applied at a minimum thickness of two to three inches.

T. In preparation of the wet season, all disturbed areas shall be reviewed to identify which ones can be seeded in preparation for the winter rains. A sketch map of those areas to be seeded and those areas to remain uncovered shall be submitted to the City by September 15. The City can require seeding of additional areas in order to protect surface waters, adjacent properties, or drainage facilities. Disturbed areas identified for seeding shall be seeded prior to the beginning of the wet season (October 1).

No.	Revision/Issue	

811 Know what's below. Call before you dig.

UTILITY LOCATIONS ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING UTILITY LOCATIONS PRIOR TO BEGINNING OF CONSTRUCTION. THESE PLANS MAY NOT SHOW ALL UTILITIES OR THE CORRECT LOCATIONS.

Project P21168
2021 MAINTENANCE HOLE REHABILITATION

City of Springfield
SPRINGFIELD OREGON
PUBLIC WORKS / ENGINEERING
225 FIFTH STREET, SPRINGFIELD, OR 97477
PHONE (541) 726-3753 FAX (541) 726-3689
INTERNET www.springfield-or.gov

REGISTERED PROFESSIONAL ENGINEER
54699PE
OREGON
JULY 15, 2003
JEFFREY ALAN PASCHALL

EXP DATE: 12-31-2022

EROSION AND SEDIMENT CONTROL DETAILS

NO SCALE

SHEET F01 OF 19

DRAWN BY: B. JABUSCH
DESIGNED BY: J. PASHCALL
CHECKED BY: K. KRUEGER

October 5, 2021

C:\Users\bjabusch\City Of Springfield, OR\DPW-CMD-Engineering - Capital Projects\Projects Folders\STREETS\P21168 -2021 Manhole Rehab\02-Design\DRAWING\100.DWG\F SHEET.dwg



METHOD "A"



METHOD "B"



METHOD "C"



PLAN
SQUARE CUT



PLAN
CIRCULAR CUT



ALTERNATE "A"

GENERAL NOTES FOR ALL DETAILS ON THIS SHEET:

1. Cover manhole with building paper and const. asph. conc. base course and wearing courses.
2. Saw cut square or circular excavation around manhole 12" min. from manhole frame.
3. Raise manhole cover and frame to finish grade by installing conc. manhole adjustment rings and leveling mortar, as shown.
4. Backfill with early strength Portland Cement Concrete. All concrete shall be commercial grade concrete.
5. Protect from traffic loading until conc. has cured to 3000 psi.
6. Apply tack coat to edges of existing pavement before installing patch.
7. Finish joint with asphalt seal and sand.
8. See Std. Dwg. RD336 for manhole steps details.
9. See appropriate manhole standard drawings for details not shown.
10. Use epoxy for synthetic grade rings.
11. See Std. Dwg. RD336 for tracer wire details.
12. See Std. Dwg. RD356 for manhole covers and frames.

CALC. BOOK NO. N/A

SDR DATE 21-JUL-2015

NOTE: All material and workmanship shall be in accordance with the current Oregon Standard Specifications

The selection and use of this Standard Drawing, while designed in accordance with generally accepted engineering principles and practices, is the sole responsibility of the user and should not be used without consulting a Registered Professional Engineer.

OREGON STANDARD DRAWINGS

MANHOLE FRAME ADJUSTMENT

2021

DATE	REVISION DESCRIPTION

Effective Date: June 1, 2021 - November 30, 2021

rd360.dgn 20-JUL-2020

RD360



O.D.O.T. & City of Portland Standard "H"=16"

STANDARD CURB

(See general note 11)



MOUNTABLE CURB

(See general note 11)



CURB ENDING DETAIL



CURB AND GUTTER



MOUNTABLE CURB AND GUTTER

GUTTER PAN NOTES:

Slope 5.0% normal.

Slope 4.0% max. at curb ramps.

Vary slope as reqd. for drainage. Vary where shown on plans, and allowed by jurisdiction.



LOW PROFILE MOUNTABLE CURB AND GUTTER

(Where shown on plans)



* 0" for Truck Apron

LOW PROFILE MOUNTABLE CURB

(See general note 11)



MODIFICATION FOR KEYWAY

(Where shown on plans)



WEEP HOLE DETAIL

(Where shown on plans, and allowed by jurisdiction)



VALLEY GUTTER

CALC. BOOK NO. N/A

SDR DATE 20-JUL-2020

NOTE: All material and workmanship shall be in accordance with the current Oregon Standard Specifications

GENERAL NOTES FOR ALL DETAILS ON THIS SHEET:

1. Curb exposure "E" = 6" to 9", as measured vertically from flowline to highest point on curb. Vary as shown on plans or as directed. O.D.O.T standard "E"=7".
2. Const. curb expansion joints at 200' maximum spacing, and at points of tangency, and at ends of each driveways.
3. Const. curb contraction joints at 15' maximum spacing, and at ends of each inlet and curb ramp.
4. Transitions shall be used to connect curbs of different exposures "E". ("E" is the total vertical dimension of those curb surfaces having a slope of 1:1 or steeper). Minimum desirable transition length shall be 20' for each 1" difference in "E".
5. Tops of all curbs shall slope toward the roadway at 1.5% max. (Max. 2.0% finished surface slope), unless otherwise shown, or as directed.
6. Dimensions are nominal, vary to conform with curb machine approved by the engineer.
7. Dimensions adjacent to radii are measured to the point of intersection of curb surfaces.
8. For sidewalk details, and monolithic curb & sidewalk, see Std. Dwgs. RD720 & RD721.
9. For drainage curbs, see Std. Dwg. RD701.
10. For curb ramp details, see Std. Dwgs. RD900 series.
11. On or along state highways, curb and gutter is required at curb ramp.

The selection and use of this Standard Drawing, while designed in accordance with generally accepted engineering principles and practices, is the sole responsibility of the user and should not be used without consulting a Registered Professional Engineer.

OREGON STANDARD DRAWINGS

CURBS

2021

DATE	REVISION DESCRIPTION

rd700.dgn 20-JUL-2020

RD700

Effective Date: June 1, 2021 - November 30, 2021



GEOTEXTILE/WIRE MESH/AGGREGATE - TYPE 2

NOT TO SCALE



PREFABRICATED FILTER INSERT - TYPE 3

NOT TO SCALE



SOD PROTECTION - TYPE 6

NOT TO SCALE



AREA DRAIN PLAN



AREA DRAIN PERSPECTIVE VIEW



CURB INLET SEDIMENT DAM - TYPE 10

NOT TO SCALE



WATTLE BARRIER WITH FILTER INSERT - TYPE 11

NOT TO SCALE



CURB INLET PERSPECTIVE VIEW

COMPOST FILTER SOCK OR WATTLE - TYPE 7

NOT TO SCALE

NOTES:
Type 2 - Geotextile/wire mesh/aggregate
Place the wire mesh over the grate.
Place sediment fence geotextile over the wire mesh and perimeter area around structure.
Install aggregate over the geotextile fabric.

Type 3 - Prefabricated filter inserts
Install prefabricated filter inserts according to the plans, special provisions, and manufacturer recommendations.
Prefabricated inserts with provisions for overflow are allowed only when accompanied by additional BMP's to prevent the potential of sediments entering project storm systems.
Field fabricated inserts are not allowed.

Type 7 - Compost filter sock
Drive 2"x2" wood stakes a minimum of 6" into ground and flush with the top of the sock.
Overlap ends of sock per manufacturers recommendations (12"min., 36" max.).
Use 8" to 12" dia sock on curbside in traffic areas.

(Type 7 cont.)
Use 12" to 18" dia sock in non-traffic areas or areas where the larger socks can be used safely.
use synthetic mesh socks for temporary installations.

Type 10 - Curb inlet sediment dam
Fit curb inlet sediment dam snugly into inlet mouth. Curb inlet sediment dam is required for use with inlet filter insert where at-grade inlet grate and curb inlet are combined at a catch basin.

Type 11 - Wattle barrier with filter insert
Install prefabricated filter insert per Type 3 detail.
Install wattles over opening and 36" to each side of opening tight against curb. Adjust wattle to force storm water to flow through filter insert or wattle prior to leaving the site.
Adjust, replace or modify the inlet protection as needed to prevent sediment laden water from entering the catch basin.

The selection and use of this Standard Drawing, while designed in accordance with generally accepted engineering principles and practices, is the sole responsibility of the user and should not be used without consulting a Registered Professional Engineer.

CALC. BOOK NO. N/A

SDR DATE January, 2021

NOTE: All material and workmanship shall be in accordance with the current Oregon Standard Specifications

OREGON STANDARD DRAWINGS

INLET PROTECTION TYPE 2, 3, 6, 7, 10 AND 11

2021

DATE	REVISION DESCRIPTION
Jan 2021	Removed Calc book numbers
Jan 2021	Moved notes up from overlapping the sheet border

rd1010.dgn 01-20-2021

RD1010

Effective Date: June 1, 2021 - November 30, 2021

RD1010

tm843.dgn 01-JUL-2020



4-Lane, 2-Way Roadway With Left Turn Median
RIGHT LANE CLOSURE



4-Lane, 2-Way Roadway With Left Turn Median
LEFT TURN MEDIAN CLOSURE



4-Lane, 2-Way Roadway With Left Turn Median
LEFT TURN MEDIAN AND LEFT LANE CLOSURE



4-Lane, 2-Way Roadway With Left Turn Median
LEFT TURN MEDIAN & LEFT LANE CLOSURE, FAR SIDE

GENERAL NOTES FOR ALL DETAILS:

- Additional Traffic Control Measures (TCM) may be required for all legs of the intersection.
- To determine Taper Length ("L") and Buffer Length ("B") shown on this sheet, use the "MIMIMUM LENGTHS TABLE" on Dwg. TM800.
- When a through road intersects within the work zone, place a "ROAD WORK AHEAD" (W20-1) sign in advance of the intersection at sign spacing A.
- To determine sign spacing A, B, and C, use "TRAFFIC CONTROL DEVICES (TCD) SPACING TABLE" on Dwg. TM800.
- Tubular markers may be used in lane closure tapers where the posted speed is 40 mph or less.
- Taper Length of "L" for the through-lane shifting tapers may be used for higher speed roads.
- Taper Length of "L"/2 for center turn lane closure may be used in areas with high number of accesses within the work zone.
- Place channelizing devices around intersection radii, business accesses and driveways at 10' spacing.
- Install a "BICYCLES ON ROADWAY" (CW11-1) sign in advance of the closure when a bike lane is closed, or when the shoulder is closed and bikes are expected.
- Signal timing adjustments determined by the Engineer.
- To be accompanied by Dwg. Nos. TM820 & TM821.

Signal

28" Tubular Markers
See TCD Spacing Table on TM800 for max. spacing.

Temp. Plastic Drums
See TCD Spacing Table on TM800 for max. spacing.

UNDER TRAFFIC

UNDER CONSTRUCTION

CALC. BOOK NO. N/A

The selection and use of this Standard Drawing, while designed in accordance with generally accepted engineering principles and practices, is the sole responsibility of the user and should not be used without consulting a Registered Professional Engineer.

SDR DATE 01-JUL-2020

NOTE: All material and workmanship shall be in accordance with the current Oregon Standard Specifications

OREGON STANDARD DRAWINGS

MULTI-LANE SIGNALIZED INTERSECTION DETAILS

2021

DATE	REVISION DESCRIPTION

TM843

Effective Date: June 1, 2021 - November 30, 2021