NEW SIDEWALK STANDARD SINGLE MAILBOX



CURB SIDE SIDEWALK



END VIEW TOP VIEW



SETBACK SIDEWALK

SECTION A - A



SECTION B - B



SECTION C - C



SECTION D - D



NOTES

- THE PERMANENT LOCATION OF MAILBOXES AND NEIGHBORHOOD DELIVERY BOXES IS DETERMINED BY THE CITY OF SPRINGFIELD AND THE UNITED STATES POST OFFICE, BY AGREEMENT.
- NEIGHBORHOOD DELIVERY BOXES SHALL BE SUPPLIED AND INSTALLED BY THE U.S. POSTAL SERVICE IN ACCORDANCE WITH THE AMERICANS WITH DISABILITIES ACT.
- SIDEWALKS, ACCESS RAMPS, AND RESIDENTIAL DRIVEWAYS SHALL BE 3000 PSI FIELD STRENGTH (3450 PSI LAB STRENGTH) 6.0 SACK MIX
- CONCRETE CURBS & COMMERCIAL DRIVEWAYS SHALL BE 3500 PSI FIELD STRENGTH (4025 PSI LAB STRENGTH) 6.3 SACK MIX CONCRETE

REGISTERED PROFESSIONAL ENGINEER
70925PE
Stanley A Petroff
Digitally signed by Stanley A Petroff
Date: 2025.05.29 09:55:26-07'00'
OREGON
JUNE 14, 2007
STANLEY A. PETROFF

EXP DATE: 12-31-2026

SPRINGFIELD OREGON

NEW SIDEWALK SINGLE MAILBOX PLACEMENT

NO	REVISION	DATE	BY	APPR.
1	CITY DWG. 3-13A			
2	DRAWING UPDATE	05/2025	JG	

STANDARD DRAWING
3-13A
2025

EXISTING SIDEWALK STANDARD SINGLE MAILBOX



CURB SIDE SIDEWALK



END VIEW TOP VIEW



SETBACK SIDEWALK

SECTION A - A



SECTION B - B



SECTION C - C



SECTION D - D



NOTES

- THE PERMANENT LOCATION OF MAILBOXES AND NEIGHBORHOOD DELIVERY BOXES IS DETERMINED BY THE CITY OF SPRINGFIELD AND THE UNITED STATES POST OFFICE, BY AGREEMENT.
- NEIGHBORHOOD DELIVERY BOXES SHALL BE SUPPLIED AND INSTALLED BY THE U.S. POSTAL SERVICE IN ACCORDANCE WITH THE AMERICANS WITH DISABILITIES ACT.
- SIDEWALKS, ACCESS RAMPS, AND RESIDENTIAL DRIVEWAYS SHALL BE 3000 PSI FIELD STRENGTH (3450 PSI LAB STRENGTH) 6.0 SACK MIX
- CONCRETE CURBS & COMMERCIAL DRIVEWAYS SHALL BE 3500 PSI FIELD STRENGTH (4025 PSI LAB STRENGTH) 6.3 SACK MIX CONCRETE

REGISTERED PROFESSIONAL ENGINEER
70925PE
Stanley A Petroff
Digitally signed by Stanley A Petroff
Date: 2025.05.29 14:31:22-07'00'
OREGON
JUNE 14, 2007
STANLEY A. PETROFF

EXP DATE: 12-31-2026

SPRINGFIELD OREGON

EXISTING SIDEWALK SINGLE MAILBOX PLACEMENT

NO	REVISION	DATE	BY	APPR.
1	CITY DWG. 3-13B			
2	DRAWING UPDATE	05/2025	JG	

STANDARD DRAWING
3-13B
2025

NEIGHBORHOOD DELIVERY BOX



SETBACK SIDEWALK



CURB SIDE SIDEWALK

NOTES

- THE PERMANENT LOCATION OF MAILBOXES AND NEIGHBORHOOD DELIVERY BOXES IS DETERMINED BY THE CITY OF SPRINGFIELD AND THE UNITED STATES POST OFFICE, BY AGREEMENT.
- NEIGHBORHOOD DELIVERY BOXES SHALL BE SUPPLIED AND INSTALLED BY THE U.S. POSTAL SERVICE IN ACCORDANCE WITH THE AMERICANS WITH DISABILITIES ACT.
- SIDEWALKS, ACCESS RAMPS, AND RESIDENTIAL DRIVEWAYS SHALL BE 3000 PSI FIELD STRENGTH (3450 PSI LAB STRENGTH) 6.0 SACK MIX
- CONCRETE CURBS & COMMERCIAL DRIVEWAYS SHALL BE 3500 PSI FIELD STRENGTH (4025 PSI LAB STRENGTH) 6.3 SACK MIX CONCRETE

REGISTERED PROFESSIONAL ENGINEER
70925PE
Stanley A Petroff
Digitally signed by Stanley A Petroff
Date: 2025-05-29 14:30:39-07'00'
OREGON
JUNE 14, 2007
STANLEY A. PETROFF

EXP DATE: 12-31-2026

SPRINGFIELD OREGON

SINGLE MAILBOX PLACEMENT

NO	REVISION	DATE	BY	APPR.
1	CITY DWG. 3-13C			
2	DRAWING UPDATE	05/2025	JG	

STANDARD DRAWING
3-13C
2025